



EST. 1960

# Willowbrook

835 Midway Drive  
Willowbrook, IL 60527-5549

Phone: (630) 323-8215 Fax: (630) 323-0787 [www.willowbrookil.org](http://www.willowbrookil.org)

Mayor

Frank A. Trilla

Village Clerk

Leroy R. Hansen

Village Trustees

Sue Berglund

Umberto Davi

Terrence Kelly

Michael Mistele

Gayle Neal

Paul Oggerino

Village Administrator

Tim Halik

Chief of Police

Mark Shelton

Director of Finance

Carrie Dittman

## A G E N D A

REGULAR MEETING OF THE PARKS AND RECREATION COMMISSION  
OF THE VILLAGE OF WILLOWBROOK TO BE HELD ON TUESDAY,  
JANUARY 10, 2017, AT 7:00 P.M. AT THE VILLAGE HALL, 835 MIDWAY  
DRIVE, IN THE VILLAGE OF WILLOWBROOK, DUPAGE COUNTY,  
ILLINOIS.

1. CALL TO ORDER
2. ROLL CALL
3. APPROVAL OF MINUTES:
  - a) December 6, 2016 Regular Meeting of the Parks & Recreation Commission
4. DISCUSSION – Willow Pond Park Renovation Project
5. DISCUSSION – Special Event Updates / Planning:
  - a) Children's Holiday Party, HSHS, December 11, 2016
  - b) Easter Egg Hunt, Saturday, April 15, 2017
  - c) 2017 Spring Fling, May 7, 2017
6. VISITOR'S BUSINESS – Public comment is limited to three (3) minutes per person
7. COMMUNICATIONS
8. ADJOURNMENT



Proud Member of the  
Illinois Route 66 Scenic Byway

MINUTES OF THE REGULAR MEETING OF THE PARKS AND RECREATION COMMISSION  
HELD ON TUESDAY, DECEMBER 6, 2016, AT THE VILLAGE HALL, 835 MIDWAY DRIVE,  
WILLOWBROOK, DUPAGE COUNTY, ILLINOIS

1. CALL TO ORDER

Commissioner Stetina called the meeting to order at the hour of 7:05 p.m.

2. ROLL CALL

Those present at roll call were Commissioners Catherine Kaczmarek, Ronald Kanaverskis, Laurie Landsman, Carol Lazarski, and Doug Stetina.

ABSENT: Chairman Richard Cobb, Commissioners Lorraine Grimsby, Robert Pionke, and Rene Schuurman.

Also present were Village Trustee Sue Berglund, Temporary Interim Superintendent of Parks and Recreation John Fenske, and Village Intern Tiffany Kolodziej.

A QUORUM WAS DECLARED

3. APPROVAL OF MINUTES – NOVEMBER 1, 2016

The Commission reviewed the November 1, 2016 minutes.

MOTION: A Motion was made by Commissioner Lazarski and seconded by Commissioner Landsman to approve the November 1, 2016 minutes as presented.

ROLL CALL VOTE: AYES: Commissioners Kaczmarek, Kanaverskis, Landsman, Lazarski, and Stetina. NAYS: None. ABSENT: Chairman Cobb, Commissioners Grimsby, Pionke, and Schuurman.

MOTION DECLARED CARRIED

4. DISCUSSION – ORGANIC LAWN CARE – END OF SEASON ANALYSIS

Administrative Intern Kolodziej related that Pure Prairie Organic was awarded the lawn care contract for village-owned property. Their services began in May of 2016. Five (5) applications were administered between May – October. No negative comments were received in reference to the results. Administrative Intern Kolodziej stated that there was no significant difference between the chemically-treated lawns and organically-treated lawns.

The commissioners requested that public notification be made in reference to the new lawn care program.

5. REPORT – WILLOW POND PARK RENOVATION – STATUS UPDATE

Interim Superintendent Fenske advised that cost for the park renovations have increased since the original bid was awarded to Clauss Brothers, Inc. In order to bring down some of the costs, Village Administrator Halik and the consultant from LandTech Design has changed some of the materials used in different areas of the park, removed a couple of parking spots, reducing the footprint of the playground (not the actual structure), and changes to the shelter, benches, and restroom building.

The commissioners stated that they do not like losing any of the parking spots and asked that this item be reexamined.

6. DISCUSSION – SPECIAL EVENT UPDATES/PLANNING:

a. Children's Holiday Party, HSHS – December 11, 2016

Interim Superintendent Fenske stated that as of today's date, 86 children have been signed up for the party. To date, a little over \$3,300 in donations has been received from 25 sponsors. Expenses are \$4,966.51. This biggest expense this year was for the commemorative blankets.

Interim Superintendent Fenske related that he received a \$50 gift card from Target and used it to purchase paper goods for the party. Chick-fil-A is donating lemonade and iced tea. Interim Superintendent Fenske stated that he also received a \$25 gift card from Costco and will purchase bottled water with it. Chicken Basket is again donating chicken legs. 7-11 is donating pizza, coffee and hot chocolate. Tommy R's is donating sandwiches. Interim Superintendent Fenske advised that he also received gift certificates from Hinsdale Nursery, LaVida Massage, Massage Luxe, West Swim Club, and Pure Barre which will be raffled off to attendees.

Interim Superintendent Fenske that there will be volunteers from the Hinsdale South Key Club and National Honor Society to help.

Interim Superintendent Fenske stated that he will need help at the Village Hall prior to the party to load his car with the gifts and supplies.

b. 2017 Spring Fling – May 7, 2017

Interim Superintendent Fenske related that discussion on this item will be tabled until Commissioner Schuurman is in attendance. Tentative benefactors for donations will be Gateway and Kiwanis.

7. VISITORS' BUSINESS

None presented.

8. COMMUNICATIONS

Interim Superintendent Fenske advised that 2017 will be the 40<sup>th</sup> Anniversary for the Parks Department. He related that he would like to promote a picnic or concert in the park birthday party. Interim Superintendent Fenske stated that he received a letter from the West Suburban Concert band advised that they would like to perform at the event.

9. ADJOURNMENT

MOTION: Made by Commissioner Landsman, seconded by Commissioner Kanaverskis to adjourn the meeting at the hour of 8:25 p.m.

ROLL CALL VOTE: AYES: Commissioners Kaczmarek, Kanaverskis, Landsman, Lazarski, and Stetina.  
NAYS: None. ABSENT: Chairman Cobb, Commissioners Grimsby, Pionke, and Schuurman.

MOTION DECLARED CARRIED

PRESENTED, READ and APPROVED,

January 10, 2017

\_\_\_\_\_  
Chairman

Minutes transcribed by Executive Secretary Cindy Stuchl.

## PARKS & RECREATION COMMISSION MEETING

### AGENDA ITEM SUMMARY SHEET

AGENDA ITEM DESCRIPTION	COMMISSION REVIEW
<b>REPORT – WILLOW POND PARK RENOVATIONS – STATUS UPDATE</b>	<input checked="" type="checkbox"/> Report <input type="checkbox"/> Discussion <input type="checkbox"/> Seeking Feedback <u>Meeting Date:</u> January 10, 2017

#### BACKGROUND

On March 3, 2015, staff opened sealed bids for a renovation of Willow Pond Park. The design of this renovation project was prepared by Mr. John Vann of LandTech Design, Ltd. At the time, the low bid was submitted by Clauss Brothers, Inc. in the total amount of \$822,292.93 (\$400,000 of this expense was to be funded through an OSLAD grant). The Village Board was prepared to award a construction contract to Claus Brothers at their March 23, 2015 meeting. However, on March 10, 2015, the Village received notice from the Illinois Department of Natural Resources (IDNR) that all state OSLAD grants had been suspended by order of the Governor. All work on this project was suspended until the grant was released by the state on August 15, 2016 – 17 months later.

#### STATUS UPDATE

Staff is currently working with Tod Stanton from Design Perspectives and Claus Brothers Construction to award a contract to enable this project to begin in late April/early Mach of 2017. Mr. Stanton is also coordinating this project with our grant administrator at the Illinois Department of Natural Resources (IDNR) as required by the OSLAD grant. At the present time, there are two primary issues to consider:

- 1) Updated pricing for the project came in at \$897,203.21, which is a \$74,910.28 increase from the previous bid price. The amount of the OSLAD grant (i.e., \$400,000) cannot be increased, even though the time delay in the suspension of the grant caused the cost increase. Staff has worked with both Claus Brothers and Design Perspectives to review the previous renovation design to identify potential areas for cost savings. A list of potential cost savings options compiled by Tod Stanton is attached. There may also be some additional SRA funding available that could be used to soften the reductions.
- 2) During our coordination of this project with the IDNR, we were advised that the IDNR must review and approve the design specifications for the playground components. Therefore, it is necessary to choose the final playground design and manufacturer, so that catalog cut sheets on all components can be sent to the IDNR. Attached, are the following playground proposals for consideration:
  - NuToys – Option 1 and Option 2
  - Play Illinois – Option 1 and Option 2
  - GameTime (aka., Cunningham Recreation)

#### STAFF RECOMMENDATION

Tod Stanton from Design Perspectives will be in attendance at the meeting to review the identified areas of cost savings and to present the various playground designs for consideration. Again, if we can successfully reduce the costs of more minor areas of the renovation plan while maintaining the basic design as a whole, our goal would be to award a construction contract to Claus Brother to complete the project. They would target the start of work to occur in late April of 2017 and the project should be complete sometime in mid-summer 2017.

# Value Engineering Options Willow Pond Improvements

November 14, 2016

	savings
1 Eliminate chain link protection fencing	\$ 1,925.00
2 Overall reduction of concrete flatwork and curb (approx. 725 sq.ft.)	\$ 7,000.00
<del>3 Eliminate 5 additional asphalt parking stalls</del>	<del>\$ 6,000.00</del>
4 Village to furnish and install 2" water service and tap to restroom building	\$ 19,000.00
5 Eliminate 4" playground drain system and PVC catchbasin	\$ 5,000.00
6 Reduce the playground size, eliminate/reduce rubber surface berms	\$ 15,000.00
7 Change specified shelter	\$ 15,000.00
8 Change specified benches, tables and bike rack	\$ 2,000.00
9 Change specified restroom building	\$ 6,000.00
10 General Contractor Splashpad VE ideas (TBD)	\$ 5,000.00
11 Reduce splash pad concrete integral color to 50% color	\$ 6,000.00
12 Reduced scope on installed landscape plants	\$ 6,000.00
13 Convert natural stone retaining walls and steps to pre-cast modular block	\$ 3,000.00
	\$ 96,925.00
Alternates	
A1 Negotiate lower price for playground installation based on reduced cost of playground	\$ 15,000.00
A2 Reduced scope of pathway lighting	\$ 5,000.00
	\$ 20,000.00

Alternates

A1 Negotiate lower price for playground installation based on reduced cost of playground	\$ 15,000.00
A2 Reduced scope of pathway lighting	\$ 5,000.00
	\$ 20,000.00





RECEIVED

JAN - 3 2017

VILLAGE OF  
WILLOWBROOK

Box 2121  
La Grange, IL 60525  
708-579-9055  
708-579-0109 (fax)  
1-800-526-6197

November 30, 2016

WILLOW POND PLAYGROUND  
WILLOWBROOK, IL  
OPTION 1  
PLAYBOOSTER COMPONENT SYSTEM

QTY.    NO.    DESCRIPTION

**2-5 Year Olds Play Equipment**

1	123331A	Double Slide 32"Dk DB
1	124863E	SlideWinder2 64"Dk DB 2 Straight 1 Left
1	152431A	ABC Climber 32"Dk DB
1	152907B	Deck Link w/Barriers Steel end panels 2 Steps
1	152907C	Deck Link w/Barriers Steel end panels 3 Steps
1	122914C	Loop Arch 64"Dk DB
1	176081A	Canyon Climber
1	139782A	2"Horizontal Ladder 4-5 Years Conn Between Decks
1	141887A	Access/Landing Assembly Seat Barrier Left 8"Dk
1	120325A	Ramp Berm Exit Plate Concrete Wall
1	156233A	Ramp w/Barriers
1	119514A	Pilot Panel Above Deck
1	115254A	Storefront Panel
1	130567A	Hex Shingle Roof
1	184354A	Curved Transfer Module Left 2-5yrs 32"Dk DB
1	178710A	Hexagon Tenderdeck
1	111228A	Square Tenderdeck
2	111231A	Triangular Tenderdeck
6	111404G	100"Alum Post DB
4	111404B	140"Alum Post DB
6	111403D	158"Alum Post For Roof DB
2	111404I	84"Alum Post DB
2	111404H	92"Alum Post DB
1	182503A	Welcome Sign (LSI Provided) Ages 2-5 years DB

ALSO:

1	173591A	OmniSpin Spinner Surface Mount
1	152179A	Saddle Spinner DB 12"Height
1	100041A	Curved Balance Beam DB

**New 4-Place Single Post Swingset  
2 Belt Seats, 1 Full Bucket Seat and 1 ADA**

2	174018A	Belt Seat Proguard Chains 8' Beam
1	176038A	Full Bucket Seat Proguard Chains 8' Beam
1	177351A	Molded Bucket Seat (5-12) w/Harness Proguard Chains, 8'
1	177332A	Single Post Swing Frame 8' Beam
1	177333A	Single Post Swing Frame Addtl Bay 8' Beam

**ALL OF THE EQUIPMENT ABOVE FOR THE TOTAL DELIVERED PRICE  
INCLUDING THE COOPERATIVE DISCOUNT OF \$45,000**

Attn:  
Design Perspectives, Inc.  
1280 Iroquois Avenue  
Naperville, IL 60563

## Option 1

Price Quote for:  
Willow Pond Playground  
Willowbrook, Illinois

Due Date: Thursday, December 1, 2016 at 2:00 p.m.

Quotes and designs shall be received by, 2:00 pm, Thursday, December 1, 2016 at the offices of Design Perspectives, Inc., 1280 Iroquois Avenue, Naperville, IL 60563

Date: November 20, 2016

To Whom This May Concern:

Having carefully examined the documents entitled Willow Pond Playground dated November 2016 and Addendum No. (s) None, the Undersigned proposes to furnish all materials and shipping costs required by them in accord with said documents for Willow Pond.

for the total sum of Fourty-five thousand dollars (\$ 45,000.00).

The following unit prices are reflected above in the total cost:

A. Composite Play Structure (Ages 2-12) and Swings	\$ <u>33,805.00</u>
B. Interactive Playpod Area 1 Independent	\$ <u>8,120.00</u>
C. Interactive Playpod Area 2 Swing Set	\$ <u>3,075.00</u>
Total:	\$ <u>45,000.00</u>

Name of Joint Purchasing Program HGAC/NCPA/TCPN or GSA Options

SIGNATURE: Michelle Walsh  
NAME (written): Michelle Walsh  
TITLE: Salesperson

1. Firm Name:  
NuToys Leisure Products Inc.
2. Street Address:  
915 W. Hillgrove  
City, State, Zip Code:  
LaGrange, IL 60529
3. Phone:  
708 579 9055
4. Fax:  
708 579 0109
5. Date  
November 30, 2016




landscape  
structures  
LEISURE PRODUCTS  
1-800-526-6197

SCALE: IN FEET  
0' 1' 2' 3' 4' 5' 6' 7' 8' 9' 10'


WILLOW POND PLAYGROUND  
WILLOWBROOK, IL  
CODE: WIL16WIL1, Option 1

PLAYBOOSTER SYSTEM  
11/23/2016 DRAWN BY: MLW

STRUCTURE DIMENSIONS:  
ACTUAL SIZE:  
AREA REQUIRED:



# Willow Pond Playground



## WILLOW POND PLAYGROUND

WILLOWBROOK, IL November 30, 2018 59782-111-11



*Mr*  
Landscape  
Structures

Better playgrounds.  
Better world.<sup>®</sup>

[playlsi.com](http://playlsi.com)



**nutoys**  
Leisure Products

Proudly presented by:

## WILLOW POND PLAYGROUND

WILLOWBROOK, IL November 30, 2016 99382-1-11-2



*Un*  
landscape  
structures



Better playgrounds.  
Better world.®

[playls.com](http://playls.com)

Proudly presented by:

**nuttoYS**  
Leisure Products

All rights reserved



RECEIVED

JAN - 3 2017

VILLAGE OF  
WILLOWBROOK

Box 2121  
La Grange, IL 60525  
708-579-9055  
708-579-0109 (fax)  
1-800-526-6197

November 30, 2016

WILLOW POND PLAYGROUND  
WILLOWBROOK, IL  
OPTION 2  
PLAYBOOSTER COMPONENT SYSTEM

QTY.      NO.      DESCRIPTION

**2-5 Year Olds Play Equipment**

1	123337A	Single Slide 40"Dk DB
1	131437A	Single Wave Slide 64"Dk DB
1	122914C	Loop Arch 64"Dk DB
1	156916B	Pod Climber w/Handloop 24"Dk DB Right Handhold
1	123284B	Wiggle Ladder 40"Dk DB
1	176081A	Canyon Climber
1	139782A	2"Horizontal Ladder 4-5 Years Conn Between Decks
1	141887B	Access/Landing Assembly Seat Barrier Left 16"Dk
1	152443A	Grid Walk w/Barriers
1	120325A	Ramp Berm Exit Plate Concrete Wall
1	156233A	Ramp w/Barriers
1	129042A	Offset Crawl Tunnel 24"Offset Deck To Deck
1	191031A	Accessible Panel Curb
1	164094A	Bongo Reach Panel Above Deck
1	123844A	Braille Panel Above Deck
1	159459A	Ring-A-Bell Panel Above Deck
1	120901A	Grab Bar
1	111275A	Handloop Assembly
1	111357B	Turning Bar Alum DB
1	130102B	Super Square Shingle Roof Poly
2	122197A	90* Triangular Tenderdeck
1	111230A	Square Deck Corner
2	111229A	Square Deck Extension
3	111228A	Square Tenderdeck
1	185852A	Transfer Step w/2 Handloops DB
1	121949A	Tri-Deck Kick Plate 8"Rise
8	111404G	100"Alum Post DB
4	111404E	116"Alum Post DB
4	111403G	134"Alum Post For Roof DB
4	111404B	140"Alum Post DB
1	111405H	50"Alum Flush Post w/Standard Cap DB
4	111404H	92"Alum Post DB
1	182503A	Welcome Sign (LSI Provided) Ages 2-5 years DB

Page 2  
Option 2

ALSO:

2 152179A Saddle Spinner DB 12"Height

**New 4-Place Single Post Swingset  
2 Belt Seats, 1 Full Bucket Seat and 1 ADA**

2 174018A Belt Seat Proguard Chains 8' Beam  
1 176038A Full Bucket Seat Proguard Chains 8' Beam  
1 177351A Molded Bucket Seat (5-12) w/Harness Proguard Chains, 8'  
1 177332A Single Post Swing Frame 8' Beam  
1 177333A Single Post Swing Frame Addtl Bay 8' Beam

**ALL OF THE EQUIPMENT ABOVE FOR THE TOTAL DELIVERED PRICE  
INCLUDING THE COOPERATIVE DISCOUNT OF \$45,000**

Attn:  
Design Perspectives, Inc.  
1280 Iroquois Avenue  
Naperville, IL 60563

---

## Option 2

Price Quote for:  
Willow Pond Playground  
Willowbrook, Illinois

Due Date: Thursday, December 1, 2016 at 2:00 p.m.

PROPOSAL FORM -Willow Pond

Quotes and designs shall be received by, 2:00 pm, Thursday, December 1, 2016 at the offices of Design Perspectives, Inc., 1280 Iroquois Avenue, Naperville, IL 60563

Date: November 30, 2016

To Whom This May Concern:

Having carefully examined the documents entitled Willow Pond Playground dated November 2016 and Addendum No. (s) None, the Undersigned proposes to furnish all materials and shipping costs required by them in accord with said documents for Willow Pond.

for the total sum of Fourty five thousand Dollars (\$ 45,000.00).

The following unit prices are reflected above in the total cost:

A. Composite Play Structure (Ages 2-12) and Swings	\$ <u>39,870.00</u>
B. Interactive Playpod Area 1 <u>Independents</u>	\$ <u>2,055.00</u>
C. Interactive Playpod Area 2 <u>Swings</u>	\$ <u>3,075.00</u>
Total:	\$ <u>45,000.00</u>

Name of Joint Purchasing Program HGAC/NCPA/TCPN or GSA Options

SIGNATURE: Michelle Walsh

NAME (written): Michelle Walsh

TITLE: Sales Person

1. Firm Name:  
Autoys Leisure Products Inc.

2. Street Address:  
915 W. Hillsrove  
City, State, Zip Code:  
La Grange, IL 60529

3. Phone:  
708.579.9055

4. Fax:  
708.579.0109

5. Date  
November 30, 2010




landscape  
STRUCTURES

**nuttoys**  
LEISURE PRODUCTS  
1-800-526-6197

WILLOW POND PLAYGROUND  
WILLOWBROOK, IL  
CODE: WIL16WIL2, Option 2  
PLAYBOOSTER SYSTEM  
11/23/2016 DRAWN BY: MLW  
STRUCTURE DIMENSIONS:  
ACTUAL SIZE:  
AREA REQUIRED:

SCALE: IN FEET  
0' 1' 5' 10'




# Willow Pond Playground Option 2



Single  
Poly Slide



Single Wave  
Poly Slide



Mr. Toys  
landscaping  
structures  
Landscaping  
products  
(800) 526-6197  
FAX: 617-451-1111

## WILLOW POND PLAYGROUND

WILLOWBROOK, IL November 30, 2016 99782-11-24



 **PlayScape**  
landscape  
structures

Better playgrounds.  
Better world.®

[playsi.com](http://playsi.com)




 **Nutroxs**  
Leisure Products

Proudly presented by:

## WILLOW POND PLAYGROUND

WILLOWSTOCK, IL November 30, 2015 99/82/13/2



 landscape  
structures

Better playgrounds.  
Better world.®

[playlsi.com](http://playlsi.com)



 nutroxs  
leisure products

Proudly presented by:

RECEIVED

JAN - 3 2017

VILLAGE OF  
WILLOWBROOK

# Design Perspectives Willow Pond Playground Option 1

Proposal # 129-97284-1  
November 23, 2016

Presented by  
Play Illinois, LLC



**Michael Maloney**  
Landscape Architect  
[mike@playil.today](mailto:mike@playil.today)  
630-514-5405  
[www.playil.today](http://www.playil.today)  
Downers Grove, IL

**Burke**®



November 23, 2016

Alann Petersen  
Design Perspectives  
1280 Iroquois Ave  
Naperville, IL 60563

Dear Alann Petersen:

Play Illinois, LLC is delighted to provide Design Perspectives with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. Play Illinois, LLC is confident that this proposal will satisfy Design Perspectives's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to continue developing a long-standing relationship with Design Perspectives. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael Maloney".

Michael Maloney  
Play Illinois, LLC  
4716 Roslyn Rd.  
Downers Grove, IL 60515

## **Design Summary**

Play Illinois, LLC is very pleased to present this Proposal for consideration for the Willow Pond Playground located in Willowbrook. BCI Burke Company, LLC has been providing recreational playground equipment for over 90 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of Design Perspectives. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.

The following is a summary of some of the key elements of our Proposal:

- Project Name: Willow Pond Playground
- Project Number: 129-97284-1 – OPTION 1
- User Capacity: 145
- Age Groups: Ages 2-5 years, 5-12 years
- Dimensions: 132' 7" x 150' 5"
- Designer Name: Joel Schleis

Play Illinois, LLC has developed a custom playground configuration based on the requirements as they have been presented for the Willow Pond Playground playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 129-97284-1 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Willow Pond Playground playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.

INFORMATION  
MINIMUM FALL ZONE  
SURFACED WITH  
RESILIENT MATERIAL  
AREA

3257 SQ.FT.

PERIMETER

6/15 FT.

STRUCTURE SIZE

132'7" x 150'5"

STRUCTURE IS DESIGNED  
FOR CHILDREN AGES:

- 6-23 MONTH OLDS
- 2-5 YEAR OLDS
- 5-12 YEAR OLDS
- 13 + YEAR OLDS



To verify product certification,  
visit [www.ipema.org](http://www.ipema.org)

The play components identified  
in this plan are IPEMA  
certified. The use and layout of  
these components conform to the  
requirements of ASTM F1487.  
To verify product certification,  
visit [www.ipema.org](http://www.ipema.org)

The space requirements shown  
here are to ASTM standards.  
Requirements for other standards  
may be different.


The use and layout of play  
components identified in this plan  
conform to the CPSC guidelines.  
U.S. CPSC recommends the  
separation of age groups in  
playground layouts.

## WARNING!

ACCESSIBLE SAFETY SURFACING MATERIAL IS REQUIRED BEHIND  
AND AROUND THIS EQUIPMENT.

FOR SLIDE FALL ZONE SURFACING AREA SEE CPSC's Handbook for  
Public Playground Safety.

PLATFORM HEIGHTS ARE IN INCHES ABOVE RESILIENT MATERIAL.



## ADA ACCESSIBILITY GUIDELINE (ADAAG CONFORMANCE)

NUMBER OF PLAY EVENTS:	31	NUMBER OF ELEVATED PLAY EVENTS:	11	PROVIDED: 2	RECD: 0
NUMBER OF ELEVATED PLAY EVENTS ACCESSIBLE BY RAMP:		PROVIDED: 10		RECD: 6	
NUMBER OF ELEVATED PLAY EVENTS ACCESSIBLE BY TRANSFER SYSTEM:		PROVIDED: 20		RECD: 4	
NUMBER OF GROUND LEVEL PLAY EVENTS:		PROVIDED: 6		RECD: 3	
NUMBER OF TYPES OF GROUND LEVEL PLAY EVENTS:					

**Burke**


SERIES: Basics, Intensity, Nucleus  
SITE PLAN  
DRAWN BY: Joel Schleis

Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
129-97284-1

ITEM	COMP.	DESCRIPTION
1	270-0050	8" CLOSURE PLATE
2	270-0129	TRIANGLE PLATFORM
3	270-0131	HEXAGONAL PLATFORM SEP
4	270-0132	HALF HEXAGON PLATFORM
5	270-0165	PLATFORM LADDER 16" GL
6	270-0223	8" RISE ENTRANCE RAMP W/ GL
7	370-0030	ATHLETIC ARCH 2.5"
8	370-0177	CENTIPEDE CLIMBER 84" - 72"
9	370-0178	CONVEX CLIMBER 40" - 48"
10	370-0415	32" - 40" ROCK CRAWL
11	370-0718	TRANSFER STATION, HANDRAIL
12	370-0828	PLEXUS OVERHEAD
13	370-0830	PLEXUS HOLE CLIMBER
14	370-0831	PLEXUS FRING CLIMBER
15	370-0832	PLEXUS TANGLE CLIMBER
16	370-0833	PLEXUS STEP CLIMBER
17	370-0835	TRIGON ARCH, GL
18	470-0507	ROCKN ROLL SLIDE 40" - 48"
19	470-0518	SHAKER HEX ROOF
20	470-0622	ROCKN ROLL SLIDE 64" - 72"
21	550-0093	SINGLE POST SWING ASSEMBLY
22	550-0094	SINGLE POST SWING ADD-ON 5
23	550-0098	TOT SEAT, 7' & SINGLE, STD C
24	550-0112	BELT SEAT, 8' PAIR, STD CHAIN
25	550-0171	FREEFOM SWING SEAT, 8' BEAN
26	560-0541	ROCKIT OFFSET PANEL
27	560-0545	ROCKIT END LADDER
28	560-0546	ROCKIT CURVED LADDER
29	560-2671	COMET II
30	560-2572	KIDFORCE SPINNER
31	570-0557	COUNTER PANEL, BELOW PLAT
32	570-0597	SIGNING PANEL
33	570-0622	PLATFORM ROLL GUARD
34	570-0784	PADDLE BALL PANEL
35	570-0811	BRAILLE PANEL
36	570-1547	CHIMES PANEL
37	570-1548	BUMBLE BEE PANEL
38	570-2580	FINGER/MAZE ACCESSIBLE REB




**Burke**

**SERIES:** Basics, Intensity, Nucleus  
**COMPONENT PLAN**  
**DRAWN BY:** Joel Schleis

Willow Pond Playground  
 Plainfield Rd & Adams St  
 Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
 129-97284-1



The protective surfacing for this design must accomodate the critical fall height.


**Burke**

SERIES: Basics, Intensity, Nucleus  
ELEVATION PLAN  
DRAWN BY: Joel Schleis

Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
129-97284-1



**Burke**

SERIES: Basics, Intensity, Nucleus  
ISOMETRIC PLAN  
DRAWN BY: Joel Schleis

Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
129-97284-1

# Proposal # 129-97284-1



November 23, 2016  
2017 Pricing

**Proposal Prepared for:**

Alann Petersen  
Design Perspectives  
1280 Iroquois Ave  
Naperville, IL 60563

**Project Location:**

Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527  
OPTION 1

**Proposal Prepared by:**

Play Illinois, LLC  
4716 Roslyn Rd.  
Downers Grove, IL 60515  
Phone: 844-222-9990

Michael Maloney  
mike@playil.today

Component No.	Description	Qty.	User Cap.	Ext. User Cap.	Weight	Ext. Weight
<b>Burke Basics</b>						
550-0093	SINGLE POST SWING ASSEMBLY 5"...	1	2	2	220	220
550-0094	SINGLE POST SWING ADD-ON 5" OD	1	2	2	145	145
550-0099	TOT SEAT, 7' & 8' SINGLE, STD...	1	0	0	12	12
550-0112	BELT SEAT, 8' PAIR, STD CHAIN	1	0	0	20	20
550-0171	FREEDOM SWING SEAT, 8' BEAM, ...	1	1	1	38	38
560-2571	COMET II	1	6	6	149	149
560-2573	KIDFORCE SPINNER	2	1	2	43	86
<b>Intensity</b>						
370-0030	ATHLETIC ARCH 2-5	1	3	3	46	46
370-0829	PLEXUS OVERHEAD	1	14	14	96	96
370-0830	PLEXUS HOLE CLIMBER	1	2	2	97	97
370-0831	PLEXUS RUNG CLIMBER	1	2	2	83	83
370-0832	PLEXUS TANGLE CLIMBER	1	2	2	89	89
370-0833	PLEXUS STEP CLIMBER	1	2	2	121	121
370-0835	TRIGON ARCH, GL	1	9	9	151	151
670-0097	INTENSITY CURRICULUM KIT	1	0	0	2	2
<b>Nucleus</b>						
270-0050	8" CLOSURE PLATE	6	0	0	10	60
270-0129	TRIANGLE PLATFORM	5	2	10	48	240
270-0131	HEXAGONAL PLATFORM S5P	1	12	12	287	287
270-0132	HALF HEXAGON PLATFORM	2	6	12	144	288
270-0185	PLATFORM LADDER 16"	2	1	2	10	20
270-0223	8" RISE ENTRANCE RAMP W/ GUAR...	1	10	10	377	377
370-0177	CENTIPEDE CLIMBER 64" - 72"	1	3	3	71	71
370-0179	CONVEX CLIMBER 40"-48"	1	1	1	88	88
370-0415	32" - 40" ROCK CRAWL	1	4	4	204	204
370-0718	TRANSFER STATION, HANDRAIL 32"	1	4	4	162	162
470-0507	ROCK'N ROLL SLIDE, 40" - 48"	1	1	1	107	107
470-0518	SHAKER HEX ROOF	1	0	0	231	231
470-0622	ROCK'N ROLL SLIDE, 64" - 72"	1	2	2	147	147
570-0557	COUNTER PANEL, BELOW PLATFORM	1	4	4	37	37
570-0597	SIGNING PANEL	1	2	2	46	46
570-0622	PLATFORM ROLL GUARD	1	0	0	8	8
570-0794	PADDLE BALL PANEL	1	1	1	47	47
570-0811	BRAILLE PANEL	1	4	4	55	55
570-1547	CHIMES PANEL	1	4	4	59	59
570-1548	BUMBLE BEE PANEL	1	4	4	47	47
570-2560	FINGER/MAZE ACCESSIBLE REACH	1	4	4	17	17
600-0104	NPPS SUPERVISION SAFETY KIT	1	0	0	3	3

# Proposal # 129-97284-1



November 23, 2016  
2017 Pricing

670-0001	POST ASSEMBLY 5" OD X 91"	1	0	0	49	49
670-0002	POST ASSEMBLY 5" OD X 107"	4	0	0	58	232
670-0098	MODULAR HARDWARE, NUCLEUS	1	0	0	5	5
670-0099	INSTALLATION KIT, INTENSITY	1	0	0	2	2
670-0103	MAINTENANCE KIT, INTENSITY	1	0	0	0	0
670-0165	POST ASSEMBLY 5" OD X 123"	3	0	0	66	198
670-0166	POST ASSEMBLY 5" OD X 139"	1	0	0	74	74
670-0167	POST ASSEMBLY 5" OD X 147"	4	0	0	78	312
670-0391	ROOF POST 5" OD X 184"	6	0	0	96	576

## RockIt

560-0541	ROCKIT OFFSET PANEL	2	4	8	83	166
560-0545	ROCKIT END LADDER	2	2	4	35	70
560-0546	ROCKIT CURVED LADDER	1	2	2	59	59

Total User Capacity: 145  
Total Weight: 5,699 lbs.

## Special Notes:

Prices do not include unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. Pricing is valid until 12/16/2016.

# Proposal # 129-97284-1



November 23, 2016  
2017 Pricing

## Selected Color List

<u>Color Group</u>	<u>Color</u>
<i>Phase 1</i>	
Accessory	Blue
Platform	Brown
Kore Konnect	Blue
1 Color Extruded/Flat	Tan
Chimes/Sprocket Main Panel & Cruiser Seat Backs	Blue
Chimes Note/Sprocket Overlay & Cruiser Side Panels	Tan
Contemporary Swing Fittings	Blue
Rotomolded	Tan
Post	Blue
2 Color Extruded/Flat (outer)	Blue
2 Color Extruded/Flat (inner)	White
<i>Phase 2</i>	
Accessory	Blue
Rotomolded	Tan
Post	Blue
<i>Phase 3</i>	
Accessory	Blue
1 Color Extruded/Flat	Tan
Intensity/Rocky Mountain	Tan
Rotomolded	Tan
Post	Blue
RockIt	Sandstone

The colors listed above reflect the main colors selected. This proposal may contain individual colors that have overridden the main colors. These overridden colors are *not* contained in this list.

# BCI BURKE GENERATIONS WARRANTY®

## The Longest and Strongest Warranty in the Industry

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of invoice.

### We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of invoice as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Intensity®, Voltage®, Nucleus® and Little Buddies®) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKnect® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers).
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Voltage®, Intensity®, Nucleus® and Little Buddies®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on main structure platforms and decks, metal roofs, table tops, bench tops, railings, loops and rungs.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Intensity® and RopeVenture™ cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on swing seats and hangers; Kid Koaster® Trolleys and other moving parts against structural failure due to materials or workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts, have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

**THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.**

**Warranty Exclusions:** The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

**Limitation of Remedies:** Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

**For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.**

01/2016

**BCI Burke Company, LLC**  
 660 Van Dyne Road, Fond du Lac, WI 54936  
 Tel (920) 921-9220 Fax (920) 921-9566  
[www.bcburke.com](http://www.bcburke.com)



Date: 11/29/2016  
 Quote #6232  
**Accepted Approved Quotation,  
 Terms and Conditions**

In coordination with Play Illinois  
 Tel: (844) 222-9990

To: The Village of Willowbrook  
 835 Midway Drive  
 Willowbrook, IL 60527

Signed: \_\_\_\_\_  
 Date: \_\_\_\_\_

**Project Name:** Willow Pond Playgound  
**Project Location:** Plainfield & Adams Street  
 Willowbrook, IL 60527  
 Opt 1

Prepared by Jessica Westphal	Estimated Ship Date 4-5 weeks after receipt of order	Payment Terms Net 30 Days		
		Unit Price	Quantity	Total
129-97284-1	BCI Burke custom Nucleus/Intensity Play Structure shown on Proposal 129-97284-1	56,804.00	1	56,804.00
Discount	7% Discount per National IPA/TCPN Contract #R5199	(3,976.28)	1	(3,976.28)
Discount	Additional Courtesy Discount	(10,217.63)	1	(10,217.63)
Freight	Freight Cost to Burr Ridge, IL	1,181.20	1	1,181.20
		Total:		\$ 43,791.29

*Jessica Westphal*

**Title:** Sales Support Coordinator  
**BCI Burke Company, LLC**

Thank you for the opportunity to provide this quote.  
 We look forward to filling your park & playground needs in the months and years to come!

**Pricing is only effective if purchased before 12/16/2016, quote subject to price increase after this date.**

**Special Notes:**

Prices do not include unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing (unless shown in quoted items above), installation (unless shown in quoted items above) or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. Freight charges are predicated on all items being ordered and shipped at the same time.



COOPERATIVE CONTRACT  
 AWARDED SUPPLIER

NATIONAL IPA

TCPN

**BCI Burke Company, LLC**

"An ISO 9001:2008 and ISO 14001:2004 Certified Company"

660 Van Dyne Road - PO Box 549 - Fond du Lac, WI 54936-0549 - Phone (920) 921-9220 - Fax (920) 921-9566 - [www.bcburke.com](http://www.bcburke.com)

**Play That Moves You®**

TCPN Proposal #R5199-IL-12396

RECEIVED

JAN - 3 2017

VILLAGE OF  
WILLOWBROOK

# Design Perspectives

## Willow Pond Playground


### Option 2

Proposal # 129-97285-1  
November 23, 2016

Presented by  
**Play Illinois, LLC**



**Michael Maloney**  
Landscape Architect  
[mike@playil.today](mailto:mike@playil.today)  
630-514-5405  
[www.phyil.today](http://www.phyil.today)  
Downers Grove, IL



**Burke**®



November 23, 2016

Alann Petersen  
Design Perspectives  
1280 Iroquois Ave  
Naperville, IL 60563

Dear Alann Petersen:

Play Illinois, LLC is delighted to provide Design Perspectives with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. Play Illinois, LLC is confident that this proposal will satisfy Design Perspectives's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to continue developing a long-standing relationship with Design Perspectives. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael Maloney".

Michael Maloney  
Play Illinois, LLC  
4716 Roslyn Rd.  
Downers Grove, IL 60515

## **Design Summary**

Play Illinois, LLC is very pleased to present this Proposal for consideration for the Willow Pond Playground located in Willowbrook. BCI Burke Company, LLC has been providing recreational playground equipment for over 90 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of Design Perspectives. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.

The following is a summary of some of the key elements of our Proposal:

- Project Name: Willow Pond Playground
- Project Number: 129-97285-1 – **OPTION 2**
- User Capacity: 130
- Age Groups: Ages 2-5 years, 5-12 years
- Dimensions: 133' 8" x 152' 0"
- Designer Name: Joel Schleis

Play Illinois, LLC has developed a custom playground configuration based on the requirements as they have been presented for the Willow Pond Playground playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 129-97285-1 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Willow Pond Playground playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.

INFORMATION  
MINIMUM FALL ZONE  
SURFACED WITH  
RESILIENT MATERIAL  
AREA.  
3438 SQ.FT.  
PERIMETER  
617 FT.

STRUCTURE SIZE

133' 8" x 152' 0"  
STRUCTURE IS DESIGNED  
FOR CHILDREN AGES:  
 6-23 MONTH OLDS  
 2-5 YEAR OLDS  
 5-12 YEAR OLDS  
 13+ YEAR OLDS



Registered  
to ISO 9001



To verify product certification,  
visit [www.ipema.org](http://www.ipema.org)

The play components identified  
in this plan are IP-EMA  
certified. The use and layout of  
these components conform to the  
requirements of ASTM F1487.  
To verify product certification,  
visit [www.ipema.org](http://www.ipema.org)

The space requirements shown  
here are to ASTM standards.  
Requirements for other standards  
may be different.


The use and layout of play  
components identified in this plan  
conform to the CPSC guidelines.  
U.S. CPSC recommends the  
separation of age groups in  
playground layouts.

**WARNING!**

ACCESSIBLE SAFETY SURFACING MATERIAL IS REQUIRED BENEATH  
AND AROUND THIS EQUIPMENT.

FOR SLIDE FALL ZONE SURFACING AREA SEE CPSC's Handbook for  
Public Playground Safety.

PLATFORM HEIGHTS ARE IN INCHES ABOVE RESILIENT MATERIAL.



**ADA ACCESSIBILITY GUIDELINE (ADAAG CONFORMANCE)**

NUMBER OF PLAY EVENTS:	24
NUMBER OF ELEVATED PLAY EVENTS:	11
NUMBER OF ELEVATED PLAY EVENTS ACCESSIBLE BY RAMP:	4
NUMBER OF ELEVATED PLAY EVENTS ACCESSIBLE BY TRANSFER SYSTEM:	11
NUMBER OF GROUND LEVEL PLAY EVENTS:	6
NUMBER OF TYPES OF GROUND LEVEL PLAY EVENTS:	3

**Burke**






SERIES: Basics, Intensity, Nucleus  
SITE PLAN  
DRAWN BY: Joel Schleis

Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
129-97285-1

ITEM	COMP	DESCRIPTION
1	270-0001	OFFSET ENCLOSURE
2	270-0050	8" CLOSURE PLATE
3	270-0128	TRIANGLE PLATFORM
4	270-0131	HEXAGONAL PLATFORM SSP
5	270-0138	SPLIT SQUARE PLATFORM
6	270-0223	8" RISE ENTRANCE RAMP W/ GUARD
7	370-0027	LAUNCH PAD
8	370-0030	ATHLETIC ARCH 2.5'
9	370-0165	SNAKE CLIMBER 56" - 72"
10	370-0176	CENTIPEDE CLIMBER 48" - 56"
11	370-0178	CONVEX CLIMBER 24"-32"
12	370-0489	40" TRANSITION STAIR W/BARN
13	370-0710	TRIANGLE TRAVERSE
14	370-0718	TRANSFER STATION, HANDRAIL
15	370-0809	POWER PEAK W/OUT PANELS
16	470-0486	HEX METAL ROOF
17	470-0507	ROCKIN ROLL SLIDE 40" - 48"
18	470-0622	ROCKIN ROLL SLIDE 64" - 72"
19	550-0083	SINGLE POST SWING ASSEMBLY
20	550-0084	SINGLE POST SWING ADD-ON 5'
21	550-0098	TOT SEAT, 7' & SWING, STD Q
22	550-0112	BELT SEAT, 8' PAIR, STD CHAIN
23	550-0171	FREEOM SWING SEAT, 8' BEAM
24	560-0528	SINGLE POD WALK 8"-16"
25	560-0533	ROPEVENTURE VERTEX
26	560-2570	COMET 1
27	560-2573	KID-FORCE SPINNER
28	570-0622	PLATFORM ROLL GUARD
29	570-1548	BUMBLE BEE PANEL
30	570-1615	DRUM PANEL
31	570-1683	PARATROOP PANEL ABOVE PL
32	570-2549	CAR ACCESSIBLE REACH PANEL
33	590-0386	Z BALANCE BEAM




**Burke**

SERIES: Basics, Intensity, Nucleus  
 COMPONENT PLAN  
 DRAWN BY: Joel Schleis

Willow Pond Playground  
 Plainfield Rd & Adams St  
 Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
 129-97285-1



Vertex Fall Height:  
ASTM 7'8"  
CPSC 14'3"

The protective surfacing for this design must accommodate the critical fall height.


**Burke**

SERIES: Basics, Intensity, Nucleus  
ELEVATION PLAN  
DRAWN BY: Joel Schleis

Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
129-97285-1



**Burke**

SERIES: Basics, Intensity, Nucleus  
ISOMETRIC PLAN  
DRAWN BY: Joel Schleis

Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527

November 23, 2016

Play Illinois, LLC  
129-97285-1

# Proposal # 129-97285-1



November 23, 2016  
2017 Pricing

**Proposal Prepared for:**  
Alann Petersen  
Design Perspectives  
1280 Iroquois Ave  
Naperville, IL 60563

**Project Location:**  
Willow Pond Playground  
Plainfield Rd & Adams St  
Willowbrook, IL 60527

**Proposal Prepared by:**  
Play Illinois, LLC  
4716 Roslyn Rd.  
Downers Grove, IL 60515  
Phone: 844-222-9990

Michael Maloney  
mike@playil.today

Component No.	Description	Qty.	User Cap.	Ext. User Cap.	Weight	Ext. Weight
<b>Burke Basics</b>						
550-0093	SINGLE POST SWING ASSEMBLY 5"...	1	2	2	220	220
550-0094	SINGLE POST SWING ADD-ON 5" OD	1	2	2	145	145
550-0099	TOT SEAT, 7' & 8' SINGLE, STD...	1	0	0	12	12
550-0112	BELT SEAT, 8' PAIR, STD CHAIN	1	0	0	20	20
550-0171	FREEDOM SWING SEAT, 8' BEAM, ...	1	1	1	38	38
560-0526	SINGLE POD WALK 8"-16"	4	1	4	27	108
560-0583	ROPEVENTURE VERTEX	1	25	25	1,340	1,340
560-2570	COMET I	1	6	6	157	157
560-2573	KIDFORCE SPINNER	1	1	1	43	43
590-0386	Z BALANCE BEAM	1	4	4	80	80
<b>Intensity</b>						
370-0027	LAUNCH PAD	2	1	2	9	18
370-0030	ATHLETIC ARCH 2-5	1	3	3	46	46
370-0710	TRIANGLE TRAVERSE	1	2	2	40	40
670-0097	INTENSITY CURRICULUM KIT	1	0	0	2	2
<b>Nucleus</b>						
270-0001	OFFSET ENCLOSURE	1	1	1	30	30
270-0050	8" CLOSURE PLATE	2	0	0	10	20
270-0129	TRIANGLE PLATFORM	3	2	6	48	144
270-0131	HEXAGONAL PLATFORM S5P	1	12	12	287	287
270-0136	SPLIT SQUARE PLATFORM	1	4	4	103	103
270-0223	8" RISE ENTRANCE RAMP W/ GUAR...	1	10	10	377	377
370-0155	SNAKE CLIMBER 56" - 72"	1	4	4	75	75
370-0176	CENTIPEDE CLIMBER 48" - 56"	1	2	2	71	71
370-0178	CONVEX CLIMBER 24"-32"	1	1	1	77	77
370-0469	40" TRANSITION STAIR W/BARRIE...	1	4	4	279	279
370-0718	TRANSFER STATION, HANDRAIL 32"	2	4	8	162	324
370-0809	POWER PEAK W/OUT PANELS	1	8	8	69	69
470-0486	HEX METAL ROOF	1	0	0	280	280
470-0507	ROCK'N ROLL SLIDE, 40" - 48"	1	1	1	107	107
470-0622	ROCK'N ROLL SLIDE, 64" - 72"	1	2	2	147	147
570-0622	PLATFORM ROLL GUARD	1	0	0	8	8
570-1548	BUMBLE BEE PANEL	1	4	4	47	47
570-1615	DRUM PANEL	1	4	4	49	49
570-1683	PARATROOP PANEL, ABOVE PLATFO...	1	3	3	54	54
570-2549	CAR ACCESSIBLE REACH PANEL	1	4	4	22	22
600-0104	NPPS SUPERVISION SAFETY KIT	1	0	0	3	3
670-0002	POST ASSEMBLY 5" OD X 107"	4	0	0	58	232
670-0098	MODULAR HARDWARE, NUCLEUS	1	0	0	5	5

# Proposal # 129-97285-1



November 23, 2016  
2017 Pricing

670-0099	INSTALLATION KIT, INTENSITY	1	0	0	2	2
670-0103	MAINTENANCE KIT, INTENSITY	1	0	0	0	0
670-0165	POST ASSEMBLY 5" OD X 123"	5	0	0	66	330
670-0166	POST ASSEMBLY 5" OD X 139"	1	0	0	74	74
670-0167	POST ASSEMBLY 5" OD X 147"	3	0	0	78	234
670-0398	POST, SWAGED ROOF 5" OD X 184"	6	0	0	96	576

Total User Capacity: 130  
Total Weight: 6,295 lbs.

## Special Notes:

Prices do not include unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. Pricing is valid until 12/16/2016.

# Proposal # 129-97285-1



November 23, 2016  
2017 Pricing

## Selected Color List

Color Group	Color
<i>Phase 1</i>	
Accessory	Blue
Platform	Brown
Kore Konnect	Blue
Rotomolded	Tan
Post	Blue
2 Color Extruded/Flat (outer)	Blue
2 Color Extruded/Flat (inner)	White
1 Color Extruded/Flat	Tan
Drums	Tan
<i>Phase 2</i>	
Platform	Brown
Accessory	Blue
Rotomolded	Tan
Post	Blue
Kore Konnect	Blue
2 Color Extruded/Flat (outer)	Blue
2 Color Extruded/Flat (inner)	White
<i>Phase 3</i>	
Contemporary Swing Fittings	Blue
Platform	Brown
Rotomolded	Tan
Accessory	Blue
Post	Blue

The colors listed above reflect the main colors selected. This proposal may contain individual colors that have overridden the main colors. These overridden colors are *not* contained in this list.

# BCI BURKE GENERATIONS WARRANTY®

## The Longest and Strongest Warranty in the Industry

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of invoice.

### We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of invoice as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Intensity®, Voltage®, Nucleus® and Little Buddies®) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonec® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers).
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Voltage®, Intensity®, Nucleus® and Little Buddies®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on main structure platforms and decks, metal roofs, table tops, bench tops, railings, loops and rungs.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Intensity® and RopeVenture™ cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on swing seats and hangers; Kid Koaster® Trolleys and other moving parts against structural failure due to materials or workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

**THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.**

**Warranty Exclusions:** The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather, immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

**Limitation of Remedies:** Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

**For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.**

01/2016



RECEIVED

JAN - 3 2017

VILLAGE OF  
WILLOWBROOK

PREPARED FOR

**VILLAGE OF WILLOWBROOK  
WILLOW POND PLAYGROUND**

**DECEMBER 15, 2016**



**CONTENTS**

BID FORMS  
QUOTATION  
2D DRAWING  
3D DRAWING  
TECH SPECS

**ADDITIONAL GT INFORMATION**

INSURANCE POLICY  
COMPLIANCE INFORMATION  
ISO 9001 CERTIFICATION  
GAMETIME WARRANTY  
GAMETIME GREEN INFORMATION  
COLOR OPTIONS

Attn:  
Design Perspectives, Inc.  
1280 Iroquois Avenue  
Naperville, IL 60563

---

Price Quote for:  
Willow Pond Playground  
Willowbrook, Illinois

Due Date: Thursday, December 1, 2016 at 2:00 p.m.

PROPOSAL FORM –Willow Pond

Quotes and designs shall be received by, 2:00 pm, Thursday, December 1, 2016 at the offices of Design Perspectives, Inc.,  
1280 Iroquois Avenue, Naperville, IL 60563

Date: 12-15-2016

To Whom This May Concern:

Having carefully examined the documents entitled Willow Pond Playground dated November 2016 and Addendum No.

(s) N/A, the Undersigned proposes to furnish all materials and shipping costs required by them in  
accord with said documents for Willow Pond.

for the total sum of Fourty four thousand,five hundred forty one dollars & 20/100 Dollars (\$ 44,541.20)

The following unit prices are reflected above in the total cost:

A. Composite Play Structure (Ages 2-12) and Swings	\$ <u>31,889.09</u>
B. Interactive Playpod Area 1	\$ <u>3,864.00</u>
C. Interactive Playpod Area 2	\$ <u>6,092.52</u>
Total:	\$ <u>44,541.20</u>

\*Freight

Name of Joint Purchasing Program US Communities

SIGNATURE: Renee Beard

NAME (written): Renee Beard

TITLE: Sales Associate

1. Firm Name: GameTime c/o Cunningham Recreation

2. Street Address: 5932 Old Pineville Rd

City, State, Zip Code: Charlotte, NC 28217

3. Phone: 800-438-2780

4. Fax: 704-525-7356

5. Date 12-15-2016



GameTime c/o Cunningham Recreation  
PO Box 240981  
Charlotte, NC 28224  
800.438.2780  
704.525.7356 FAX

QUOTE  
#118298

12/15/2016

### Willow Pond Site Improvements (RFP)

Village of Willowbrook  
Attn: Kristin Violante  
7760 Quincy Street  
Willowbrook, IL 60527  
Phone: 630-920-2251  
Fax: 630-323-0787  
kviolante@willowbrook.il.us

Project #: P73465  
Ship To Zip: 60527

Quantity	Part #	Description	Unit Price	Amount
1	RDU	GameTime - Powerscape Modular Unit (per attached drawings) (1) 16700 -- Ada49" Sq Punch Steel Deck (4) 16701 -- Ada 49" Tri Punch Steel Dk (1) 16712 -- Grade-1'-0" Deck Ramp (1) 80206 -- Tin Roof Hex (1) 80656 -- Access Attachment 3' & 4' (1) 80687 -- Handhold/Kick Plate Pkg (1) 81510 -- Horiz Loop Lad Link 98" Lk (1) 81530 -- Overhead Tree Climber Lnk (1) 90005 -- Two Piece Hex Deck, Ada Ramp Access (1) 90032 -- 3' Transfer Platform W/Guardrail (2) 90266 -- 8' Upright, Alum (3) 90267 -- 9' Upright, Alum (3) 90268 -- 10' Upright, Alum (6) 90269 -- 11' Upright, Alum (3) 90270 -- 12' Upright, Alum (1) 90369 -- River Rock Climber (3) 90391 -- 3'-0" Overhead Climber Access Ladder (1) 90425 -- Letters Maze Above Deck (1) 90508 -- 4' Double Zip Slide, Std Dk (1) 90545 -- 4' Wave Climber (1) 90546 -- Climber Archway W/D-Ring & Barrier (1) 90579 -- Double Swerve Slide (1) 90612 -- Crawl-In Double Fun-L Up (1) 90713 -- Frog Slide Puzzle-Gadget Pnl Above Dk (1) 91024 -- Drivers Panel Above Deck (1) 91146 -- Entryway - Guardrail (1) 91209 -- Climber Entryway - Barrier	\$33,563.04	\$33,563.04



GameTime c/o Cunningham Recreation  
PO Box 240981  
Charlotte, NC 28224  
800.438.2780  
704.525.7356 FAX

QUOTE  
#118298

12/15/2016

### Willow Pond Site Improvements (RFP)

Quantity	Stock ID	Description	Unit Price	Amount
		(2) G90262 -- 4' Upright, Galv		
		(3) G90270 -- 12' Upright, Galv		
		(1) 178749 -- Owner'S Kit		
		(1) 16465 -- Slide Transfer (Ada)		
1	80473	GameTime - Spider Web, Freestanding	\$2,929.92	\$2,929.92
1	18826	GameTime - Primetime Swing 3 1/2" X 8'	\$1,037.76	\$1,037.76
2	5152	GameTime - Pt Solo Add-A-Bay 3 1/2" X 8'	\$604.42	\$1,208.84
1	8552	GameTime - 3 1/2" Zero-G Chair (5-12)-Galv Chain	\$430.52	\$430.52
1	8696	GameTime - Encl Seat 3 1/2"(8696)	\$262.26	\$262.26
2	8910	GameTime - Belt Seat 3 1/2"Od(8910)	\$210.56	\$421.12
1	5053	GameTime - Discover Cave W/Rock Grips	\$3,025.68	\$3,025.68
1	6231	GameTime - G2	\$3,162.60	\$3,162.60
1	3205	GameTime - Spinning Sensory Wave Seat	\$838.32	\$838.32

***Materials only quotation.***

SubTotal: \$46,880.06  
Freight: \$2,695.59  
Total Amount: \$44,541.20

**Contract: USC**

**Pricing:** Prices are firm for 30 days unless otherwise noted. Above costs assume one shipment and one installation unless otherwise noted. Taxes will be shown as a separate line item if included. Any applicable taxes not shown will be applied to final invoice.

**Lead Time/Shipment:** Standard orders shipped 4 weeks after receipt of order and acceptance of your purchase order, color selections, approved submittals,(if required)unless otherwise noted. Custom equipment and shades may require a longer lead time. Surfacing lead time is approximately 2 weeks after scheduling request. It is the responsibility of the owner to offload and inventory equipment, unless other arrangements have been made. Missing or damaged equipment must be reported within 60 days of acceptance of delivery. Equipment may be sent in multiple shipments based on point of origin.

**Payment Terms:** Net 30 days subject to approval by Credit Manager. A signed P.O. made out to Cunningham Recreation or this signed quotation is required for all orders unless otherwise noted. A 1.5% per month finance charge will be imposed on all past due accounts. Equipment shall be invoiced separately from other services and shall be payable in advance of those services and project completion. Checks should be made payable to Cunningham Recreation unless otherwise directed.

*Acceptance of this proposal indicates your agreement to the terms and condition stated herein.*

**FURNISH & DELIVER ONLY:**

- All items are quoted furnish and deliver ONLY. Installation is NOT included.



GameTime c/o Cunningham Recreation  
PO Box 240981  
Charlotte, NC 28224  
800.438.2780  
704.525.7356 FAX

QUOTE  
#118298

12/15/2016

### Willow Pond Site Improvements (RFP)

**Acceptance of quotation:**

Accepted By (printed): \_\_\_\_\_

Date: \_\_\_\_\_

Title: \_\_\_\_\_

P.O. No: \_\_\_\_\_

Telephone: \_\_\_\_\_

Fax: \_\_\_\_\_

Purchase Amount: **\$44,541.20**

SALES TAX EXEMPTION CERTIFICATE #: \_\_\_\_\_

(PLEASE PROVIDE A COPY OF CERTIFICATE)

*Reave Beard*

Salesman Signature

Customer Signature



GameTime c/o Cunningham Recreation  
PO Box 240981  
Charlotte, NC 28224  
800.438.2780  
704.525.7356 FAX

QUOTE  
#118298

12/15/2016





## Willow Pond Site Improvements (RFP)

### U.S. COMMUNITIES TERMS & CONDITIONS

- LEAD TIME: normal lead time is 30 days from active order date.
- PURCHASE ORDERS: MUST BE MADE OUT TO GAMETIME c/o CUNNINGHAM RECREATION
- PRICING: pricing is net, f.o.b. destination, after freight charges have been calculated using the contact shipping rates provided herein and added to the net product prices shown on the contract price list. Gametime offers most favored pricing and special discounts to those local public agencies participating in the U.S. Communities contract. Product pricing derives from and is indexed by the 2006 GameTime Catalog, less the applicable discounts stated herein. GameTime pricing is adjusted the first of each year with the printing and distribution
- QUANTITY DISCOUNTS: Volume single purchases of composite play systems only shall be eligible for an additional discount.
- ORDERS: All orders shall be in writing on the buying entity's purchase order form or similar documentation, and showing GameTime as the vendor. Open buying on the Internet (OBI) is not currently available.
- SHIPMENT: Shipping shall commence within 4-6 weeks after our receipt and acceptance of the customer purchase order, color selections and approval of submittals, if required.
- TERMS OF SALE: Payment is due within 30 days from date of invoice for governmental agencies. Payment may be made by VISA or MasterCard. Orders for materials paid for at the time of placement are entitled to a 3% cash-with-order discount.
- MINIMUM ORDER: RFP 269-2003-007 purchases, other than replacement parts, require a minimum order of \$500.00.
- PACKAGING: All goods shall be packaged in accordance with acceptable commercial practices and marked to preclude confusion during unloading and handling.
- RECEIPT OF GOODS: Customer shall receive, unload and inspect goods upon arrival, reporting any discrepancies on the delivery receipt prior to written acceptance of the shipment. Concealed damages must be reported within 15 days of delivery & concealed shortages must be reported within 60 days.
- INSTALLATION: If included with purchase, shall be by a Certified GameTime installer. Customer shall be responsible for scheduling coordination and site preparation. Site should be level and permit installation equipment access. Purchaser shall be responsible for unknown conditions such as buried utilities, tree stumps, bedrock or any concealed materials or conditions that may result in additional labor or material costs. Added charges may result for failure to notify the installer of schedule changes or site conditions that prevent installation.
- EXCLUSIONS: Unless otherwise noted, this proposal excludes all site work and landscaping, removal of existing equipment; storage of goods prior to installation; drainage provisions; and safety surfacing and borders unless purchased separately. Customer shall be responsible for providing a clear, level site for installation and for scheduling deliveries and coordinating installation.
- SUBMITTALS: Our design proposal reflects the spirit and intent of the solicitation. While some variations may exist between GameTime designs and specifications are unique and not intended to be identical in all respects to other manufacturers. If required, we shall submit for review and approval by the owner's representative detailed drawings depicting the equipment to be furnished accompanied by specifications describing materials. Once approved, these drawings and specifications shall constitute the final documents for the project and shall take precedence over all other requirements. GameTime shall provide for each playground two sets of installation, assembly and maintenance instructions in accordance with our standard practices. All composite playground designs and equipment shall comply with ASTM F 1487-01, Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use; Handbook for Public Playground Safety Publication 325 by the U.S. Consumer Products Safety Commission; and the Guide to ADA Accessibility Guidelines for Play Areas published by the U.S. Access Board.
- CREDIT APPLICATIONS: If required must be submitted with your order.
- FINANCE CHARGE: A 1.5% monthly finance charge will be added to all invoices over 30 days past due.

### ORDER INFORMATION:

Bill to: \_\_\_\_\_ Ship to: \_\_\_\_\_  
Contact: \_\_\_\_\_ Contact: \_\_\_\_\_  
Address: \_\_\_\_\_ Address: \_\_\_\_\_  
Address: \_\_\_\_\_ Address: \_\_\_\_\_  
City, State, Zip: \_\_\_\_\_ City, State, Zip: \_\_\_\_\_  
Tel: \_\_\_\_\_ Fax: \_\_\_\_\_ Tel: \_\_\_\_\_ Fax: \_\_\_\_\_



**GameTime**

A PLAYCORE Company  
150 PlayCore Drive SE  
Fort Payne, AL 35967  
[www.gametime.com](http://www.gametime.com)



Village of Willowbrook  
Willow Pond Site Improvements RFP - Inclusive Playground  
Willowbrook, IL  
Representative  
Cunningham Recreation

This play equipment is recommended for children ages 2-5 & 5-12

**Minimum Area Required:**  
Scale: NTS  
This drawing can be scaled only when in an 11" x 17" format


**IMPORTANT:** Soft resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614

Drawn By:  
LS HB  
Date:  
12/13/2016  
Drawing Name:  
73465-2016



# Village of Willowbrook - Willow Pond Site Improvements

## Willowbrook, IL





## WILLOW POND SITE IMPROVEMENTS

12/15/2016

### GT Events Specifications

#### General System Specifications:

The uprights shall be factory drilled to ensure accurate placement of components and ease of installation. Field drilling and measuring are not required. GT Events are direct bolt products NOT a clamp system. All uprights shall receive factory installed aluminum post caps and shall be shipped with a factory applied label indicating proper surfacing level.

All decks and components shall connect to support posts by means of a through-bolt connection for strong, durable connections. Deck/Collar attachments shall not be acceptable.

Manufacturer shall offer the following warranties on the materials and components of its system:

- LIFETIME LIMITED WARRANTY ON SUPPORT POSTS (UPRIGHTS)
- 15 YEAR LIMITED WARRANTY ON PUNCHED STEEL DECKS, PIPES, RAILS, LOOPS AND RUNGS
- 15 YEAR LIMITED WARRANTY ON ROTOMOLDED POLYETHYLENE COMPONENTS
- LIFETIME LIMITED WARRANTY ON POWERLOCK AND HARDWARE

Manufacturer shall be ISO 9001/2008 certified

Manufacturer shall show IPEMA certification of compliance for each component that the product conforms with the requirements of ASTM F1487-07ae1.

#### Climbers

##### DISCOVER CAVE

DISCOVER CAVE: Shall be 1/4" wall thickness double wall construction, color impregnated linear low density polyethylene and shall conform to the rotationally molded specifications outlined herein.

CONNECTOR PLATE: Shall be fabricated from 1/4" x 4" hot rolled flat steel with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

FOOTBUCK: Shall be an all welded construction fabricated from 2 3/8" O.D. (13ga.) galvanized steel tubing and 12ga steel sheet. The footbuck shall be coated after fabrication with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

HANDHOLDS: Shall be manufactured from a hybrid resin mixture with custom formulated UV inhibiter.

HARDWARE: All nuts, bolts, screws and lockwashers used in the assembly of all equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel. Fasteners with yellow dichromate treatment have an electro deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.

ROTATIONALLY MOLDED: Polyethylene shall be linear low-density material with UV-stabilized color and an anti-static compound additive. Rotationally molded products shall meet or exceed the following specifications: ASTM D-1248, type 2, class A and Federal specification LP-390C, type 1, class M, grade 2, category 3; Density (ASTM D-1505); Brittleness Temperature (ASTM D-746); Tensile Values (ASTM D-638); Flexural Modulus (ASTM-790);

Heat Distortion (ASTM-648); Low Temperature Impact (ARM-STD).

**POWDER COAT FINISH:** Shall be an electrostatically applied custom formula of TGIC polyester powder. All components will be free of sharp edges and excess weld spatter and shall be cleaned in a six stage bath system with an iron phosphate wash, as a rust inhibitor, and a sealer to prevent flash rusting before coating. The coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: 3.0 - 5.0 mil thickness and oven cured between 375 to 425 degrees

Fahrenheit. Pencil Hardness H (ASTM D-3363), Impact (ASTM D-2794-69), Wedge Bend (ASTM D-522-68).

**SPECIFICATIONS:** GAMETIME © has a policy of continuous improvement and reserves the right to discontinue or change specifications without notice.

## Motion

### G2

**G2 COVER AND BASE:** Shall be one piece construction manufactured from linear low-density polyethylene material and shall conform to the rotationally molded specifications outlined herein. Polyethylene shall be linear low-density material with UV-stabilized color and an anti-static compound additive. Rotationally molded products shall meet or exceed the following specifications: ASTM D-1248, type 2, class A and Federal specification LP-390C, type 1, class M, grade 2, category 3; Density (ASTM D- 1505); Brittleness Temperature (ASTM D-746); Tensile Values (ASTM D-638); Flexural Modulus (ASTM D-790); Heat Distortion (ASTM-648); Low Temperature Impact (ARM-STD).

**G2 BASKET:** Shall be fabricated from 1 5/16" O.D. x .083" (14 gauge) wall, 1 1/16" O.D. x .072" (15 gauge) wall galvanized steel tubing and 3/16" hot rolled flat steel. Revolution Basket shall be an all welded assembly and shall be coated with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein, after fabrication.

**GROUND SHAFT:** Shall be constructed of 5" SCH 40 galvanized steel pipe, 1/4" thick H.R. steel plate, and a shaft machined from H.R. steel. Ground Shaft shall be an all welded assembly and shall be coated with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein, after fabrication.

**HUB BEARING:** Shall be fabricated from 5.500" o.d. x .500" wall D.O.M. MEC. tube and 3/16" H.R. steel plate. Two bearings shall be press fit into the weld assembly. Hub Bearing shall be an all welded assembly and shall be coated with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein, after fabrication.

**UPPER SHAFT:** Shall be constructed of 5" SCH 40 galvanized steel pipe, 3/16" and 1/4" thick H.R. steel plate, and a shaft machined from H.R. steel. Upper Shaft shall be an all welded assembly and shall be coated with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein, after fabrication.

**POWDER COAT FINISH:** Shall be an electrostatically applied custom formula of TGIC polyester powder. All components will be free of sharp edges and excess weld spatter and shall be cleaned in a six stage bath system with an iron phosphate wash, as a rust inhibitor, and a sealer to prevent flash rusting before coating. The coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: 3.0 - 5.0 mil thickness and oven cured between 375 to 425 degrees Fahrenheit. Pencil Hardness H (ASTM D-3363), Impact (ASTM D-2794- 69), Wedge Bend (ASTM D-522-68),

**HARDWARE:** All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel. Fasteners with yellow dichromate treatment have an electro deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.  
**NOTE:** All weights are based on average comparisons of each part.



**SPECIFICATIONS:** GAMETIME® has a policy of continuous improvement and reserves the right to discontinue or change specifications without notice.

#### **SPINNING SENSORY WAVE SEAT**

**SENSORY WAVE SEAT:** shall be rotational molded from polyethylene. The polyethylene shall be linear low-density material with UV-stabilized color and an anti-static compound additive. All rotational molded products shall meet or exceed the following specifications: ASTM D-1248, type 2, class A and Federal specification LP-390C, type 1, class M, grade 2, category 3; Density (ASTM D-155); Brittleness Temperature (ASTM D-746); Tensile Values (ASTM-638); Flexural Modulus (ASTM- D-790); Heat Distortion (ASTM-648); Low Temperature Impact (ARM-STD).

**BEARING ASSEMBLY:** Shall be an all welded assembly constructed of 1/4" H.R. steel plate, and a hub machined from C.R. steel. Two bearings shall be press fit into the weld assembly.

**POST WELD ASSEMBLY:** Shall be an all welded assembly constructed of 2" SCH40 galvanized steel pipe, 1/4" thick H.R. steel plate, and a shaft machined from H.R. steel.

**FINISH:** The assemblies coated after fabrication with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

**HARDWARE:** All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel. Fasteners with yellow dichromate treatment have an electro deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.

**NOTE:** All weights are based on average comparisons of each part.

**SPECIFICATIONS:** GAMETIME has a policy of continuous improvements and reserves the right to discontinue or change specifications without notice.

#### **Swings**

##### **BELT SEAT WITH CLEVIS**

Commercial Belt Seat - an extra piece of fluted rubber at the front and back of seat gives it a cushion bumper.

**SWING CLEVIS:** Shall be 5/16" Dia. with galvanized finish. Bolt shall have tamper resistant head.

**CHAIN:** (a) Material: 7/32" diameter steel wire. (b) Dimensions (inside for each link): 3/8" wide, 1-3/8" long. (c) Finish: Chain shall be hot dipped galvanized. (d) Type of construction: 4/0 welded link coil chain.

**COATED CHAIN:** Shall be standard 7/32" diameter steel wire chain with a 1/8" (nominal) thickness of color-impregnated polyvinyl coating with U.V. inhibitors.

**STAINLESS STEEL CHAIN:** (a) Material: 7/32" diameter steel wire. (b) Dimensions (inside for each link): 3/8" wide, 1-3/8" long. (c) Type of construction: 4/0 welded link coil chain.

**HARDWARE:** All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel.

Fasteners with yellow dichromate treatment have an electro deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.

**ENCLOSED TOT SEAT WITH CLEVIS**

Fully Enclosed Seats shall be fabricated with .025" thick stainless steel inserts covered by a dark green colored EPDM rubber.

**SWING CLEVIS:** Shall be 5/16" Dia. with galvanized finish. Bolt shall have tamper resistant head.

**CHAIN:** (a) Material: 7/32" diameter steel wire. (b) Dimensions (inside for each link): 3/8" wide, 1-3/8" long. (c) Finish: Chain shall be hot dipped galvanized. (d) Type of construction: 4/0 welded link coil chain.

**COATED CHAIN:** Shall be standard 7/32" diameter steel wire chain with a 1/8" (nominal) thickness of color-impregnated polyvinyl coating with U.V. inhibitors.

**STAINLESS STEEL CHAIN:** (a) Material: 7/32" diameter steel wire. (b) Dimensions (inside for each link): 3/8" wide, 1-3/8" long. (c) Type of construction: 4/0 welded link coil chain.

**HARDWARE:** All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel.

Fasteners with yellow dichromate treatment have an electro deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.

**PRIMETIME SWING**

**TOPRAIL AND ARCH:** Shall be fabricated of 3-1/2" O.D. (13 Gauge) galvanized steel tubing. Arch includes a welded 3-1/8" O.D. galvanized steel sleeve to which the toprail is fastened.

**FINISH:** Shall be an electrostatically applied custom formula of TGIC polyester powder with baked finish. Specify color desired.

**HARDWARE:** All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel.

Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.

**ZERO-G CHAIR**

The Zero-G Chair shall be rotationally molded with linear low-density polyethylene conforming to the specifications herein. The Zero-G Chair shall incorporate a "Roller Coaster" style Brace and Latch to secure the user in place. The Brace and Latch shall be rotationally molded with linear low-density polyethylene conforming to the specifications herein. The Zero-G Chair shall be offered with two chain hanging options. The Galvanized chain option shall be fabricated from standard 7/32" diameter steel wire chain. The chain shall be hot dipped galvanized. The Stainless Steel chain option shall be fabricated from standard 7/32" diameter stainless steel wire chain.

**PowerScape Plus Specifications****General System Specifications:**



PowerScape® Plus features 5" O.D. uprights with a positive bolt-through PowerLock fastening system. The uprights shall be factory drilled to ensure accurate placement of components and ease of installation. Field drilling and measuring are not required.

PowerScape® Plus is a direct bolt system NOT a clamp system. All uprights shall receive factory installed aluminum post caps and shall be shipped with a factory applied label indicating proper surfacing level.

All decks and components shall connect to support posts by means of a through-bolt connection for strong, durable connections. Deck/Collar attachments shall not be acceptable. All climbing attachments shall include a 15"" wide deck entry archway to control deck access to one child at a time and help prevent inadvertent falls.

Manufacturer shall offer the following warranties on the materials and components of its system:

- LIFETIME LIMITED WARRANTY ON SUPPORT POSTS (UPRIGHTS)
- 15 YEAR LIMITED WARRANTY ON PUNCHED STEEL DECKS, PIPES, RAILS, LOOPS AND RUNGS
- 15 YEAR LIMITED WARRANTY ON ROTOMOLDED POLYETHYLENE COMPONENTS
- LIFETIME LIMITED WARRANTY ON POWERLOCK AND HARDWARE

Manufacturer shall be ISO 9001/2008 certified

Manufacturer shall show IPEMA certification of compliance for each component that the product conforms with the requirements of ASTM F1487-07ae1.

### General Specifications of Materials:

#### POWDER COAT FINISH

Shall be an electrostatically applied custom formula of TGIC polyester powder. All components will be free of sharp edges and excess weld spatter and shall be cleaned in a six stage Alkaline bath system (free of iron phosphate), as a rust inhibitor, and a zirconium conversion coating to prevent flash rusting before coating. In addition, all welds shall be protectively coated with ZRP, a zinc rich primer that forms a rust-resistant barrier layer over each weld prior to application of the powder coating. The powder coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: Two coat process to achieve 3.0 - 5.0 mil thickness and oven cured between 375 to 425 degrees Fahrenheit. Pencil Hardness H (ASTM D-3363), Impact (ASTM D-2794- 69), Wedge Bend (ASTM D-522-68), Adhesion (Cross Hatch ASTM D-3359 & Knife Scratch ASTM D-2197), Environmental (Stain Resistance ASTM D-1308, Humidity ASTM D-2247 - 87, Salt Spray ASTM B-117 & Fadometer 300 hrs with no loss of gloss), Over-bake Stability 100% at 400 degrees Fahrenheit.

### Climbers:

#### SPIDER WEB

The Spider Web net shall be constructed of 16mm galvanized wire reinforced cable with a urethane coated polyester cover. The net mounting tabs shall be fabricated from 3/16" hot rolled steel, formed to match and bolted directly to 5"OD uprights with 3/8" stainless steel hardware. The tabs shall be coated with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein, after fabrication. The bushing shall be machined from an alloy of 6061 aluminum.

## PowerScape Specifications

### General System Specifications:

PowerScape® features 5" O.D. uprights with a positive bolt-through TRU-LOC fastening system. The uprights shall be factory drilled to ensure accurate placement of components and ease of installation. Field drilling and measuring are not required.

PowerScape® is a direct bolt system NOT a clamp system. All uprights shall receive factory installed aluminum post caps and shall be shipped with a factory applied label indicating proper surfacing level.



All decks and components shall connect to support posts by means of a through-bolt connection for strong, durable connections. Deck/Collar attachments shall not be acceptable. All climbing attachments shall include a 15"" wide deck entryway or archway to control deck access to one child at a time and help prevent inadvertent falls.

All decks and components shall connect to support posts by means of a through-bolt connection for strong, durable connections. Deck/Collar attachments shall not be acceptable. All climbing attachments shall include a 15"" wide deck entry archway to control deck access to one child at a time and help prevent inadvertent falls.

Manufacturer shall offer the following warranties on the materials and components of its system:

- LIFETIME LIMITED WARRANTY ON SUPPORT POSTS (UPRIGHTS)
- 15 YEAR LIMITED WARRANTY ON PUNCHED STEEL DECKS, PIPES, RAILS, LOOPS AND RUNGS
- 15 YEAR LIMITED WARRANTY ON ROTOMOLDED POLYETHYLENE COMPONENTS
- LIFETIME LIMITED WARRANTY ON TRU-LOCKS AND HARDWARE

Manufacturer shall be ISO 9001/2008 certified

Manufacturer shall show IPEMA certification of compliance for each component that the product conforms with the requirements of ASTM F1487-11.

## General Specifications of Materials

### HARDWARE

All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. PowerScape Plus stainless steel fasteners shall be button pin-in head, hex socket cap screws with a two-part epoxy locking patch added to the threads. The two-part locking patch shall consist of one part resin and one part catalyst which are activated during installation. After curing, the material shall require a minimum of five times the installation torque to remove the fastener.

Manufacturer shall provide special installation tools for pinned fasteners.

### POWDER COAT FINISH

Shall be an electrostatically applied custom formula of TGIC polyester powder. All components will be free of sharp edges and excess weld spatter and shall be cleaned in a six stage Alkaline bath system (free of iron phosphate), as a rust inhibitor, and a zirconium conversion coating to prevent flash rusting before coating. In addition, all welds shall be protectively coated with ZRP, a zinc rich primer that forms a rust-resistant barrier layer over each weld prior to application of the powder coating. The powder coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: Two coat process to achieve 3.0 - 5.0 mil thickness and oven cured between 375 to 425 degrees Fahrenheit. Pencil Hardness H (ASTM D-3363), Impact (ASTM D-2794- 69), Wedge Bend (ASTM D-522-68), Adhesion (Cross Hatch ASTM D-3359 & Knife Scratch ASTM D-2197), Environmental (Stain Resistance ASTM D-1308, Humidity ASTM D-2247 - 87, Salt Spray ASTM B-117 & Fadometer 300 hrs with no loss of gloss), Over-bake Stability 100% at 400 degrees Fahrenheit.

### ROTATIONALLY MOLDED PRODUCTS

All polyethylene shall be linear low-density material with UV-stabilized color and an anti-static compound additive. All rotationally molded products shall meet or exceed the following specifications: ASTM D-1248, type 2, class A and Federal specification LP-390C, type 1, class M, grade 2, category 3; Density (ASTM D- 1505); Brittleness Temperature (ASTM D-746); Tensile Values (ASTM D-638); Flexural Modulus (ASTM D-790); Heat Distortion (ASTM-648); Low Temperature Impact (ARM-STD).

### METAL GUARDRAIL ENTRYWAY



The Guardrail Entryway shall be fabricated of 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing and a 3/16" Hot Rolled Mounting Tab. The Guardrail Entryway shall be an all welded assembly and shall be coated after fabrication with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

#### **METAL BARRIER ENTRYWAY**

The Barrier Entryway shall be fabricated of 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing and a 3/16" Hot Rolled Mounting Tab. The vertical rungs shall be fabricated of 1-1/16" O.D. x .075" (15 gauge) wall galvanized steel tubing. The Barrier Entryway shall be an all welded assembly and shall be coated after fabrication with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

#### **METAL BARRIER ARCHWAY**

The Barrier Archway shall be fabricated of 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing and 3/16" Hot Rolled Mounting Tabs. The vertical rungs shall be fabricated of 1-1/16" O.D. x .075" (15 gauge) wall galvanized steel tubing. The Barrier Archway shall be an all welded assembly and shall be coated after fabrication with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

### **Uprights & Upright Accessories:**

#### **TRU-LOC CONNECTION**

The Tru-Loc shall incorporate an aluminum casting in a distinctive purpose mounting system that allows a rung panel to mount to the upright. The Tru-Loc connector will have a matching counterpart for flat panel connections. Each is bolted directly into the upright post through a factory located and installed connection and designed to eliminate protrusions. Each shall be die cast of 380 aluminum alloy, to resist corrosion. Minimum tensile strength shall be 45,000 psi, minimum yield strength shall be 22,000 psi. All connectors shall be coated with a custom formula of TGIC polyester powder coating, in conformance with the specifications outlined herein.

#### **UPRIGHTS, ALUMINUM**

Shall be 5" outside diameter tubing, 1/8" wall thickness, extruded from 6005-T5 aluminum alloy conforming to ASTM-B-221. Minimum yield strength shall be 35,000 psi and minimum tensile strength shall be 38,000 psi. All upright posts shall have a finished grade line marking to indicate the correct playground safety surface level. All upright posts shall be coated with a custom formula TGIC polyester powder coating in conformance with the specifications outlined herein.

#### **UPRIGHTS, STEEL**

Shall be 5" outside diameter, 11 gauge (.120") galvanized round tubing, manufactured to ASTM A-500 Grade B tolerances from cold-formed steel conforming to ASTM A-569 Sheet Spec for steel coil. Minimum yield strength shall be 50,000 psi and minimum tensile strength shall be 55,000 psi.

The exterior surface is hot dip galvanized, chromate conversion coated, and a clear high performance organic polymer is applied. The inside diameter has 81% minimum zinc rich primer capable of providing excellent rust protection and fabrication characteristics. All coatings are applied inside and out after welding for superior corrosion protection throughout. Exterior surface galvanizing zinc purity is 99% as per ASTM B-6 high grade and special high grade. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 81% minimum zinc dust content in organic resin, as per ASTM F-1234, Section 5.2.4, Type D. All upright posts shall have a finished grade line marking to indicate the correct playground safety surface level. All upright posts shall be coated with a custom formula TGIC polyester powder coating in conformance with the specifications outlined herein.

#### **UPRIGHT CAPS**

The standard upright cap shall be an aluminum cap, cast from a 383 alloy, powder coated to match the upright. Every upright cap shall receive a primer coat for maximum protection. All upright caps are permanently installed at the factory using aluminum self-sealing rivets.

## **Punched Steel & Coated Deck Components:**

### **PUNCHED STEEL DECKS AND PVC COATED COMPONENTS**

All punched steel products shall be fabricated from 11 gauge punched steel with a protective p&o finish. Coated products shall consist of a welded assembly with an oven cured matte finish polyvinyl chloride (PVC) coating with a minimum coating thickness of .080". All decks shall be exclusively dipped utilizing the DuraWear process with an extra thick coating on the top of the deck. The PVC coating shall have a hardness of Shore A 83 +/-5 normal durometer range. This material is classed as "Self Extinguishing", meets or exceeds automotive specifications NVSS302, and contains ultraviolet inhibitors to help prolong the life of the coating. The PVC coating shall contain phthalate levels in concentrations of 1/10 of 1% or lower. For ADA Ramp Accessible decks and ramps, the hole shall measure 1/4" diameter after coating. For standard decks and ramps, the hole size shall measure 1 1/4" diameter after coating.

### **DECKS, SQUARE**

Shall have a minimum surface area of 2,381 square inches, maintaining a full 49" center to center spacing on the upright posts. The 49" square deck shall be fabricated in conformance with the punched steel specifications outlined herein. The deck frame shall be fabricated from 3/16" x 3-1/2" hot rolled steel with corner supports fabricated from 1/4" x 3-1/2" hot rolled steel. Intermediate supports, fabricated from 1/8" x 2-1/2" hot rolled steel, shall be notched and welded at the intersections forming a rigid 12" support grid underneath the entire deck surface. The deck shall be a one-piece welded assembly, coated after fabrication with an oven cured matte finish polyvinyl chloride (PVC) coating in accordance with the specifications herein. The square deck shall be directly bolted to the upright posts with eight 3/8" diameter button-pin-in-head, hex socket cap screws in accordance with the hardware specifications herein.

### **DECKS, TRIANGULAR**

Shall have a minimum surface area of 1,039 square inches, maintaining a full 49" center to center spacing on the upright posts. The triangular platform shall be fabricated in conformance with the punched steel specifications outlined herein. The deck frame shall be fabricated from 3/16" x 3-1/2" hot rolled steel with corner supports fabricated from 1/4" x 3-1/2" hot rolled steel. Intermediate supports, fabricated from 1/8" x 2-1/2" hot rolled steel, shall be welded at the intersections forming a rigid support grid underneath the deck surface. The deck shall be a one-piece welded assembly, coated after fabrication with an oven cured matte finish polyvinyl chloride (PVC) coating in accordance with the specifications herein. Each triangular deck shall be directly bolted to the upright posts with six 3/8" diameter button-pin-in-head, hex socket cap screws in accordance with the hardware specifications herein.

### **TRANSFER PLATFORM WITH PUNCHED STEEL**

Platform and step shall be made from 11 gauge punched steel metal in conformance with the specifications outlined herein. Platform and step shall each be a one-piece welded assembly. The platform frame shall be fabricated from 3/8" x 3-1/2" hot rolled steel. Handholds shall be fabricated from 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing with vertical members fabricated of 2" square x 3/16" wall steel tubing. The corner post assembly shall be fabricated from 2 3/8" O.D. x .095" (13 gauge) wall galvanized steel tubing with handholds made from 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing. Both the corner post and the handholds shall be all-welded assemblies and shall be coated with a custom formula of TGIC polyester powder in conformance with the specifications outlined herein, after fabrication. Step assembly frame shall be made from 10 gauge (.135" thick) hot rolled flat steel. The step assembly and corner post assembly can be installed on either the right or left side of the platform, offering installation flexibility. Note: The PowerScape Transfer Point when used in Step assembly frame shall be made from 10 gauge (.135" thick) hot rolled flat steel. The step assembly and corner post assembly can be installed on either the right or left side of the platform, offering installation flexibility.

### **TWO PIECE HEX DECK**

Shall have a minimum surface area of 3,117 square inches, maintaining a full 49" center to center spacing on three sides between upright posts. The Two Piece Hex deck shall be fabricated in conformance with the punched steel specifications outlined herein. The Two Piece Hex deck corner supports shall be fabricated from 1/8" x 3-1/2" hot rolled steel. Intermediate supports, fabricated from 1/8" x 2-1/2" hot rolled steel, shall be notched and welded at the intersections forming a rigid support grid underneath the entire deck surface. The Two Piece Hex deck shall be a one-piece welded assembly, coated after fabrication with an oven cured matte finish polyvinyl chloride (PVC) coating in accordance with the specifications herein. The Two Piece Hex deck shall be directly bolted to the upright posts with twelve 3/8" diameter button-pin-in-head, hex socket cap screws in accordance with the hardware specifications herein.

#### **SLIDE TRANSFER**

The Platform shall each be made from 11 gauge punched steel with a protective p&o finish in conformance with the specifications outlined herein. The Platform and Steps shall each be a one-piece welded assembly finished with the matte PVC coating per the specifications herein. Handrails shall be all-welded assemblies, fabricated from 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing, and shall be coated after fabrication with a custom formula of TGIC polyester powder in conformance with the specifications outlined herein.

#### **Roofs & Arches:**

##### **TIN ROOF**

The Tin Roof Mega Hex, Tin Roof Gable Filler, Tin Roof End Gable, Tin Roof Cross Gable, Tin Roof Gable, Tin Roof Wide Pentagonal, Tin Roof 4 Wide Tri, Tin Roof Hex, and Tin Roof 4 Square panels shall be fabricated from a formed 14 gauge galvanneal sheet. The Upright Caps shall be fabricated from 3/16" thick hot rolled steel plate, 1/8" thick hot rolled steel plate, and 5" O.D. x .12" galvanized steel pipe. The Roofs Panels and Upright Caps shall be coated with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein, after fabrication.

#### **Climbers:**

##### **WAVE CLIMBER**

This patent pending one-piece climber shall be color impregnated linear low density polyethylene and shall conform to the rotationally molded specifications outlined herein. The climber utilizes "waves" and "bumps" to allow the user to ascend and descend at their level of ability. The mounting bracket shall be fabricated of 3/16" x 2-1/2" hot rolled steel. The mounting bracket, enclosure, and foot buck assemblies shall be coated with a custom formula of TGIC polyester powder, after fabrication in conformance with the specifications outlined herein

##### **RIVER ROCK CLIMBER**

The River Rock climber utilizes "rock formations" and "natural rock shaped handholds" to allow the user to ascend and descend at their level of ability. This climber can be mounted in two orientations with respect to the specific deck height (please refer installation document). Underside of the climber is provided with additional play activity where users can discover and learn about animals in river rock habitat. River Rock Climber shall be rotationally molded linear low-density polyethylene material and shall conform to the rotationally molded specifications outlined herein. The mounting bracket shall be fabricated of 1/4" x 1" hot rolled steel. All footbucks shall be fabricated with 1.315" O.D. X 0.083in. (14 gauge) wall galvanized steel tubing. The mounting bracket, enclosure, and foot buck assemblies shall be coated with a custom formula of TGIC polyester powder, after fabrication in conformance with the specifications outlined herein.

#### **Overhead Ladders**

##### **HORIZONTAL & INCLINED LOOP LADDERS**

The horizontal loop ladder assemblies shall be fabricated from 2-7/8" O.D. x .134" wall galvanized steel tubing rails with rung loops fabricated from 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing. Each horizontal loop ladder assembly shall be an all

welded construction. The assemblies and legs shall be coated after fabrication with a custom formula of TGIC polyester powder in conformance with the specifications outlined herein.

#### **OVERHEAD TREE CLIMBER**

Shall be fabricated from 1-5/8" O.D. x .083" (14 gauge) wall galvanized steel tubing upright and step rungs of 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing. The assemblies shall be coated after fabrication with a custom formula of TGIC polyester powder in conformance with the specifications outlined herein.

#### **OVERHEAD CLIMBER ACCESS LADDER**

Shall be fabricated from 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing with horizontal members fabricated of 1-1/16" O.D. x .075" (15 gauge) wall galvanized steel tubing. The ladder assembly shall be an all-welded construction and coated after fabrication with a custom formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

#### **Crawl Tubes:**

##### **ROTATIONALLY MOLDED CRAWL TUBES**

The Crawl Tube with 1/4" nominal wall thickness tube shall be rotationally molded linear low-density polyethylene conforming to the specifications outlined herein. Tube sections shall be molded so that all hardware connections are on the outside of the tube. The connection of multiple tube sections shall be an external overlap connection. The entrance panel shall allow access to the crawl tube at an accessible height of less than 8" as specified in the American with Disabilities Act (ADA).

#### **Panels:**

##### **DRIVERS PANEL**

Driver's panel shall be manufactured with UV-stabilized color impregnated linear low density polyethylene and shall conform to the rotationally molded specifications outlined herein. The panel wall shall have minimum 0.25' wall thickness

##### **ALPHA MAZE**

ALPHA MAZE - Panel shall be color-impregnated linear low density polyethylene and shall conform to the rotationally molded specifications outlined herein. HDPE in 30" diameter opening of the panel shall be made from 1/2" thick (solid) high density, UV-stabilized and color impregnated polyethylene.

##### **GADGET PANELS**

##### **GADGET PANELS**

Panel shall be color-impregnated linear low density polyethylene and shall conform to the rotationally molded specifications outlined herein. Gadgets shall be made from 3/4" thick (solid) high density, UV-stabilized and color impregnated polyethylene. Some Gadgets also include Chrome Plated Steel or Polycarbonate.

#### **Ramps/Connecting Walks:**

##### **RAMPS/CONNECTING WALKS WITH 6" AND 12" INCLINE**

The ramp shall be fabricated from punched steel in conformance with the specifications outlined herein. The ramp frame shall be fabricated from 3/8" x 3-1/2" hot rolled steel. The ramp section shall be a one-piece welded assembly finished with the matte PVC coating per the specifications herein. Handrails shall be fabricated from 1-5/16" O.D. x .083" (14 gauge) wall galvanized steel tubing and 2" square x 3/16" wall tubing outer frame, with vertical members fabricated of 1- 1/16" O.D. x .075" (15 gauge) wall galvanized steel tubing. The handrails shall be an all welded assembly and shall be coated after fabrication with a custom formula of TGIC polyester powder in conformance with the specifications outlined herein.

## Slides:

### ZIP SLIDES (SINGLE & DOUBLE BEDWAY, AND RUMBLE & ROLL)

Zip Slides and hoods shall be color impregnated linear low-density polyethylene and shall conform to the rotationally molded specifications outlined herein with double wall construction molded to a minimum .25" wall thickness. Single bedway Zip Slides shall have a minimum inside bed width of 17.5" while double bedway Zip Slides shall have a minimum inside bed width of 16.5" on each bedway. Outside rails are at least 7" high when measured from the centerline of the bedway surface. The angle of descent shall be no greater than 50°. Each Zip Slide works in conjunction with a rotationally molded hood that has an integrated cross bar which force users to a seated position. The exit section of the bedway shall have a minimum 40" radius for a smooth transition from the slide chute to the run-out area. The run-out shall be angled at a maximum of 4° with an integrated drain at 5° to reduce pooling of water. Zip Slides bolt directly to the deck and to the slide hood.

### SWERVE SLIDES (SINGLE & DOUBLE)

Swerve Slides and hoods shall be color impregnated linear low-density polyethylene and shall conform to the rotationally molded specifications outlined herein with double wall construction molded to a minimum .25" wall thickness. Single bedway Swerve Slides shall have a minimum inside bed width of 17.5" while double bedway Swerve Slides shall have a minimum inside bed width of 16.5" on each bedway. Outside rails are at least 7" high when measured from the centerline of the bedway surface. The angle of descent shall be no greater than 50°. Each Swerve Slide works in conjunction with a rotationally molded hood that has an integrated cross bar which force users to a seated position. The exit section of the bedway shall have a minimum 40" radius for a smooth transition from the slide chute to the run-out area. The run-out shall be angled at a maximum of 4° with an integrated drain at 5° to reduce pooling of water. Swerve Slides bolt directly to the deck and to the slide hood.



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
08/03/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERs NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER		CONTACT NAME: PHONE (A/C. No. Ext): E-MAIL ADDRESS:	
Marsh USA, Inc. Two Alliance Center 3560 Lenox Road, Suite 2400 Atlanta, GA 30326 Attn: Atlanta.CertRequest@marsh.com / Fax: 212-948-4321 457102-CAS-GAUWX-15-16 GT		INSURER(S) AFFORDING COVERAGE INSURER A: Chubb Custom Insurance Company 38989 INSURER B: Transportation Insurance Co 20494 INSURER C: National Union Fire Ins Co Pittsburgh PA 19445 INSURER D: American Casualty Company Of Reading, Pa 20427 INSURER E: Liberty Insurance Underwriters Inc. 19917 INSURER F: Continental Casualty Company 20443	
INSURED		NAIC #	
PCH Holdings, Inc. 150 PlayCore Drive SE Fort Payne, AL 35967			

COVERAGES		CERTIFICATE NUMBER:		REVISION NUMBER: 9				
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.								
INSR LTR	TYPE OF INSURANCE	ADD'L/SUBR INS'D. WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS		
A	COMMERCIAL GENERAL LIABILITY  CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR  X SIR \$250,000 Per Occ.		79937909	08/01/2015	08/01/2016	EACH OCCURRENCE	\$ 2,000,000	
						DAMAGE TO RENTED PREMISES (Ex occurrence)	\$ 100,000	
						MED EXP (Any one person)	\$ EXCLUDED	
						PERSONAL & ADV INJURY	\$ 2,000,000	
						GENERAL AGGREGATE	\$ 4,000,000	
						PRODUCTS - COMP/OP AGG	\$ 4,000,000	
						POLICY AGGREGATE	\$ 10,000,000	
F	AUTOMOBILE LIABILITY  ANY AUTO ALL OWNED AUTOS <input checked="" type="checkbox"/> SCHEDULED AUTOS HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS		BUA 2098343798	08/01/2015	08/01/2016	COMBINED SINGLE LIMIT (Ex accident)	\$ 1,000,000	
						BODILY INJURY (Per person)	\$	
						BODILY INJURY (Per accident)	\$	
						PROPERTY DAMAGE (Per accident)	\$	
						Comp./Coll. Ded.: \$1,000	\$	
C	UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR  EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE  DED <input checked="" type="checkbox"/> RETENTION \$ 10,000		BE 041757084	08/01/2015	08/01/2016	EACH OCCURRENCE	\$ 25,000,000	
						AGGREGATE	\$ 25,000,000	
							\$	
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY		WC 2 98343753 (AOS)	08/01/2015	08/01/2016	X PER STATUTE	OTH-ER	
D	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N <input checked="" type="checkbox"/> N	WC 2 98343834 (CA)	08/01/2015	08/01/2016	E.L. EACH ACCIDENT	\$ 1,000,000	
B		N/A	WC 2 98343879 (AZ, OR, WI)	08/01/2015	08/01/2016	E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000	
						E.L. DISEASE - POLICY LIMIT	\$ 1,000,000	
E	Excess Umbrella		100005445605	08/01/2015	08/01/2016	Each Occurrence	\$ 25,000,000	
						Aggregate	\$ 25,000,000	
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)								
Certificate Holder listed below is an additional insured where required by written contract.								

## CERTIFICATE HOLDER

## CANCELLATION

Cunningham Associates P.O. Box 240981 Charlotte, NC 28224		SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
		AUTHORIZED REPRESENTATIVE of Marsh USA Inc. Manashi Mukherjee <i>Manashi Mukherjee</i>

© 1988-2014 ACORD CORPORATION. All rights reserved.



# Compliance on a global scale



## American Society for Testing and Materials (ASTM)

We don't just follow the rules; we help create them. Several key people at GameTime, including our Manager of Compliance and Standards, serve on the ASTM committee that sets the standards for the entire playground industry. GameTime products conform to that standard, F1487-07a<sup>®</sup>, the Standard Consumer Safety Performance Specification for Playground Equipment for Public Use.



CPSC

The Consumer Product Safety Commission is an independent agency within the United States Federal Government with the authority to inform the public of current product safety performance information and recommended practices. The CPSC first published their guidelines for public playgrounds in 1981 and have updated their publication since then. The current CPSC Handbook for Public Playground Safety, publication #325, is an excellent guide for owners and operators of public play environments.



## ISO 14001 Certified

ISO 14001 also known as green certification specifies the requirements of an environmental management system. An EMS is a systematic approach to handling environmental issues within an organization.



## IPEMA Equipment Certification

GameTime is one of the founding members of IPEMA, and several of our people serve as board members, committee members and chairpersons of the association. In the interest of public playground safety, IPEMA provides a 3rd party certification, to validate conformance to established standards. Our use of the IPEMA seal is your assurance that GameTime has received written validation from an independent lab that the products associated with the seal conform with the ASTM standard, as well as the Canadian CSA standard CAN Z-614. A list of our validated products may be found on the IPEMA website, [www.ipema.org](http://www.ipema.org).



## IPEMA Surfacing Certification

GameTime's CT Impax product provides you with the assurance that our surfacing has been certified as compliant to the appropriate ASTM standard. In the interest of public playground safety, IPEMA provides a third party certification to validate a manufacturer's conformance to the ASTM F-1292-99 Standard Specification for Impact Attenuation of Surface Systems Under And Around Playground Equipment.

The use of the IPEMA Certification Seal displayed above signifies that the manufacturer has received written validation from the independent laboratory that the product associated with the use of the seal conforms with the requirements of ASTM F1292-99. A complete list of our validated products may be found on the IPEMA website at [www.ipema.com](http://www.ipema.com).



ADA

GameTime is the only manufacturer to meet accessibility guidelines on all of its pre-designed PowerScape Plus and PrimeTime playground plans. We also recommend accessible surfacing options. Access Board (The United States Architectural and Transportation Barriers Compliance Board) has completed Accessibility Guidelines for Play Facilities as set forth in the Americans with Disabilities Act of 1990. For more information, log on to [www.access-board.gov](http://www.access-board.gov)



ISO 9001:2008

GameTime was the first playground manufacturer to obtain the ISO9001:2000 standard. In order to obtain this certification, the company's manuals, policies, objectives and quality procedures are closely examined during a surveillance audit by ISO representatives. Strict attention is paid to policies and procedures in manufacturing, communication channels, system monitoring, customer relations and order processing, which are reviewed for consistency and standards. Companies who meet the standard are awarded the ISO designation.



TUV

An international organization that is a European Union Notified and Competent Body, providing testing and certification. Use of the TUV seal demonstrates that products have passed a comprehensive testing procedure based upon the European Harmonized Standard for Commercial Playground Equipment, and that the GameTime plant is regularly monitored by TUV. Contact your international GameTime distributor for complete EN 1176 compliance details.



# The Industry's BEST Warranty

GameTime offers you peace of mind with the best, most all encompassing warranties in the industry.

We want to assure you that we are part of your community playground long after the sale is made. Our quality is legendary, and we stand behind our products with one of the best warranties in the business and a level of customer service that assures you that your needs will be met. For complete Warranty information, consult your GameTime sales representative.

- Lifetime limited warranty on PowerScape®, PrimeTime®, and Xscape® uprights.
- Lifetime limited warranty on all hardware.
- Lifetime limited warranty on PowerScape PowerLocks®.
- 15 Year limited warranty on pipes, rungs, rails, metal decks and loops.
- 15 Year warranty on rotationally molded KidTime and GameTime products.
- 10 Year limited warranty on PrimeTime bolt-through connection.
- 10 Year limited warranty on Parcourse® fitness equipment.
- 5 Year limited warranty on SuperSeats™.
- 3 Year limited warranty on rubber or C type springs used on SaddleMates®.
- 1 Year limited warranty on all other GameTime products.



150 PlayCore Drive, SE  
Fort Payne, Alabama 35967  
Telephone: 256/845-5810  
Facsimile: 256/845-8881  
Email: service@gametime.com

**Gametime**  
Enriching Childhood Through Play.

## GAMETIME® WARRANTIES

GameTime provides warranties on all materials and workmanship for one year, excluding vandalism.

In addition, GameTime offers:

- Lifetime limited warranty on PowerScape® Plus, PrimeTime® and Xscape® uprights.
- Lifetime limited warranty on all hardware.
- Lifetime limited warranty on GameTime PowerScape Plus PowerLocks®.
- Ten-Year limited warranty on PrimeTime and Xscape bolt-through connections.
- Fifteen-Year limited warranty on metal decks, pipes, rungs, rails and loops.
- Fifteen-Year limited warranty on rotationally molded products.
- Twenty-Year limited warranty on Timber Décor™ recycled plastic lumber products.
- Five-Year limited warranty on nylon-covered cable net climbers and components.
- Ten-Year limited warranty on pressure-treated pine and redwood products.
- Ten-Year limited warranty on Parcourse® fitness equipment.
- Ten-Year limited warranty on site furnishings.
- Ten-Year limited warranty on integrated GTShade® products.
- Ten-Year limited warranty on fiberglass signage.
- Five-Year limited warranty on Super Seats™.
- Three-Year limited warranty on SaddleMates® rubber and "C" springs.
- One-Year limited warranty on all other GameTime products.

*All warranties specifically exclude damage caused by vandalism; negligence, improper installation or improper use; changes in appearance; resulting from weathering; scratches, dents or marring as a result of use.*

*Warranties are valid only if products are installed and maintained in accordance with GameTime instructions and use approved parts.*

GTW0700125

Page 1

# C E R T I F I C A T E   O F   R E G I S T R A T I O N



Quality  
System  
Registrar



Having been audited in accordance with requirements of

**ISO 14001:2004**

SRI Quality System Registrar, 300 Northpointe Circle, Seven Fields, Pennsylvania, 16046, USA, hereby grants to:

**GameTime  
Division of Playcore**

Registration of the management system at its location:

**150 Playcore Drive SE  
Fort Payne, Alabama, 35967, USA**

The conditions for maintaining this certificate of registration are set forth in the SRI registration agreements R20.3 and R20.4.

**Scope of ISO 14001:2004 registration:** "Environmental activities related to the production of playground equipment."

**Initial SRI registration date:** July 23, 2008

**Current registration period:** July 21, 2014 through July 20, 2017

Signed for SRI:



---

Christopher H. Lake, President & COO

Release Date: July 21, 2014  
Certificate Number: 012787  
Registration Number: 0689-01



# C E R T I F I C A T E   O F   R E G I S T R A T I O N



Quality  
System  
Registrar



Having been audited in accordance with requirements of

## ISO 9001:2008 – ANSI/ISO/ASQ Q9001-2008

SRI Quality System Registrar, 300 Northpointe Circle, Seven Fields, Pennsylvania, 16046, USA, hereby grants to:

## GameTime Division of Playcore

Registration of the management system at its location:

150 Playcore Drive SE  
Fort Payne, Alabama, 35967, USA

The conditions for maintaining this certificate of registration are set forth in the SRI registration agreements R20.3 and R20.4. Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2008 requirements may be obtained by consulting the organization.


**Scope of ISO 9001:2008 registration:** "Design, manufacture and supply of park and playground equipment, site furnishings and rotational molded plastics."

**Exclusions:** Service Provision; Customer Property

**Initial SRI registration date:** September 18, 1996

**Current registration period:** February 23, 2014 through February 22, 2017

Signed for SRI:




Christopher H. Lake, President & COO

Certificate Date: February 23, 2014  
Certificate Number: 012395  
Registration Number: 0689-01



Sky Blue  
Plastic  
Metallic  
Uprights

Spring Green  
Metal  
Blue  
Decks



**PACIFIC**

Green  
Plastic  
Brown  
Uprights

Beige  
Metal  
Brown  
Decks



**TIMBER**

Brown  
Plastic  
Beige  
Uprights

Green  
Metal  
Brown  
Decks



**FOREST**

Green  
Plastic  
Brown  
Uprights

Beige  
Metal  
Brown  
Decks



**FRESH**

Beige  
Plastic  
Green  
Uprights


Spring Green  
Metal  
Brown  
Decks



**SHIMMER**

Spring Green  
Plastic  
Bronze  
Uprights

Beige  
Metal  
Brown  
Decks



**3D**



**SHADE**



**PLASTIC**




**TIMBERS**



**STARBURST**

Yellow Plastic  
Starlight Uprights  
Sky Blue Metal  
Gray Decks



**SPRING**

Purple Plastic  
Sky Blue Uprights  
Spring Green Metal  
Blue Decks




**GALILEO**

Sky Blue Plastic  
Starlight Uprights  
White Metal  
Gray Decks



**PLAYFUL**

Spring Green Plastic  
Metallic Uprights  
White Metal  
Blue Decks



**MANGO**

Yellow Plastic  
Orange Uprights  
Spring Green Metal  
Brown Decks

**METAL**



**PLASTIC**



**SHADE**



**3D**



Blue  
Plastic  
White  
Uprights


Metallic  
Metal  
Gray  
Decks



**LIBERTY**

Green  
Plastic  
Butterscotch  
Uprights


Red  
Metal  
Blue  
Decks



**CANDY**

Blue  
Plastic  
Burgundy  
Uprights


Butterscotch  
Metal  
Blue  
Decks



**FESTIVE**

Sky Blue  
Plastic  
Butterscotch  
Uprights


White  
Metal  
Blue  
Decks



**SPARKLE**


Orange  
Plastic  
Sky Blue  
Uprights

Spring Green  
Metal  
Gray  
Decks



**SUNSET**

**3D**



**SHADE**



**PLASTIC**



**METAL**



## METAL



©2018 Lifetime. All rights reserved. Lifetime is a registered trademark of Lifetime Industries, Inc.


## PLASTIC



## POLYETHYLENE (HDPE)



## DECKS



## SUNBLOX™ CANOPY & SHADE



## WALLCANO® HANDHOLDS



## TIMBER DÉCOR



## SPECIAL ROCK



## NETS



layar



STANDARD COLOR CHOICES

209

**PARKS & RECREATION COMMISSION MEETING**  
**AGENDA ITEM SUMMARY SHEET**

AGENDA ITEM DESCRIPTION	COMMISSION REVIEW
<b>DISCUSSION – Final report on 2016 Children’s Holiday party</b>	<input type="checkbox"/> Report <input checked="" type="checkbox"/> Discussion <input type="checkbox"/> Seeking Feedback  <u>Meeting Date:</u> January 10 <sup>th</sup> 2017

**BACKGROUND**

The 40<sup>th</sup> Annual Children’s Holiday Party was held on Sunday December 11<sup>th</sup>, 2016. Attached is the final report and copies of the donations/expenses.

**REQUEST FOR FEEDBACK**

Feedback from the Commission on the event is welcomed.

**STAFF RECOMMENDATION**

N/A—Discussion Only.

To: Parks and Recreation Commission  
From: John Fenske, Interim Superintendent of Parks & Recreation  
Re: 2016 Children's Holiday Party -- Final Report  
Date: January 2017

This is the final report on the 40<sup>th</sup> Annual Children's Holiday Party that was held on December 11<sup>th</sup> 2016.

A big thank you goes out to the Commissioners for another great event. Also, a special thank you to Laurie and Doug, for not only purchasing the gifts, but also making sure that the donated food made it to HCS Family Services after the party. The leftover gifts were split between HCS and Toys for Tots.

I would also like to thank Catherine, Carol, and Administrative Intern Tiffany Kolodziej for helping load everything from the Village hall and getting it over to the High School. Also, Catherine for braving the weather and getting the food from 7-11 and Chicken Basket.

I would also like to thank Village Trustee Sue Berglund for her help in securing donations from Tommy R's and Costco, and in finding a Santa.

A big thanks goes to Officer Dan Polfliet for stepping in and filling Santa's boots, and "Santa's Helper" Tiffany Kolodziej, for her help with the kids seeing Santa.

Again, this year we promoted the event on the Village website through a community postcard mailing, an ad in the Willowbrook Post, and on banners at two of the parks. There were 126 kids pre-registered for the event, with 127 showing up (see age breakdown at the end of this report).

The food and beverage contributions from Chicken Basket, Chishack, Chick-fil-A, Seven Eleven and Tommy R's Catering were a big hit. There was a nice variety of food, and I don't think anybody went home hungry. The leftover food was split up and brought to the PD, public works, Tri-State FD, the library, and the school.

I received many positive reviews in regards to Keri Stockton, the face painter, and what a great job she did.

I also got a lot of positive comments about Jeanette Andrews and her performance. The best being the little girl who said she, "...wanted to become a magician to make her little brother disappear!"

When I got into the office on the following Monday, the receptionist said there was a 5-minute voice message about the party. It was from a mother who recently moved to Willowbrook saying that her kids had a wonderful time at the party. She could not believe that it was free, considering that the town she moved from had a smaller party, to which they charged for attendance.

Walgreen's ability to take and print the pictures on the day of the event was great. It was nice to have the pictures ready for people to take home when the party was over. Wayne was a big help again this year with securing the gifts.

There were 17 young adults from both the Hinsdale South National Honor Society and Key Club who volunteered their time. They helped with every aspect of the party, from set up to take down. The girls that helped with the crafts were great. I sent an email to each group's coordinator, thanking them for their help.

**Donations** (see attached for list)

There were 39 total contributors this year, 17 of which were new. We took in a total of \$3370.00 from 25 different contributors. We had 6 businesses donate food or drinks: Chishack, 7-11, Tommy R's, Chick-fil-A, Chicken Basket & Costco

We received a number of gift certificates, ranging in value from \$15 to \$250.00. These items were raffled off to the parents before we handed out the gifts.

The thank you letters were mailed to all the businesses who donated to this party on Tuesday December, 13<sup>th</sup> or Wednesday December 14<sup>th</sup>. (see attached copy)

**Expenses** (see attached for breakdown)

Total expenses this year were \$5209.46. When subtracted from the donations, we were \$1839.46 in the red. Of the new expenses, three of them were new this year: purchase of a Santa Suit (\$249.95), inclusion of a face painter (\$200.00), and the blanket giveaway (\$1547.56). Additionally, due to the double-booking of the theater at Hinsdale South High school and any confusit, we were not charged for the rental of the high school.

**2016 Holiday Party attendance figures**

Age	Boys	Girls	Total
Under 1	6	4	10
1-2	5	5	10
3-4	16	14	30
5-6	18	18	36
7-8	10	9	19
9-10	4	4	8
11+	7	7	14
<b>TOTAL</b>	<b>66</b>	<b>61</b>	<b>127</b>

There were two possible factors for the decrease in attendance over last year:

- 1) the weather
- 2) Burr Ridge was running their "Polar Express" event on the same day, and this year ran two trips, instead of one.

Again, thanks to everyone who came out and helped. Except for a few "glitches" I think everything went well.

John Fenske

Interim Supt. of Parks & Recreation



EST. 1960

# Willowbrook

835 Midway Drive  
Willowbrook, IL 60527-5549

Phone: (630) 323-8215 Fax: (630) 323-0787 [www.willowbrookil.org](http://www.willowbrookil.org)

## Mayor

Frank A. Trilla

Dec 12<sup>th</sup> 2017

## Village Clerk

Leroy R. Hansen

Center Cleaners

7524 Clarendon Hills Rd.

Willowbrook, IL. 60527

## Village Trustees

Sue Berglund

Umberto Davi

Terrence Kelly

Michael Mistele

Gayle Neal

Paul Oggerino

On behalf of the Village of Willowbrook Parks & Recreation Commission, I would like to thank you for your generous donation towards our 40<sup>th</sup> Annual Children's Holiday Party. The party was held on Sunday, December 11. There were close to 130 children and their families present, who enjoyed an afternoon of Holiday fun, crafts, entertainment and a visit from Santa.

It is with the continued support of the local businesses like yours that help make these events possible.

Thank you again,

## Village Administrator

Tim Halik

John Fenske

## Chief of Police

Mark Shelton

Interim Supt. of Parks & Recreation

Village of Willowbrook

## Director of Finance

Carrie Dittman



Proud Member of the  
Illinois Route 66 Scenic Byway

### Breakdown by Neighborhood

1	North- LHT, Knolls, SS, TGM, PTP	45
2	Ridgemoor /Benton Lakes	8
3	Waterford/Rodgers Farm	22
4	Farmingdale Terr./BCP	32
5	Unincorporated- 91 <sup>st</sup> apartments	12
6	Village Employee	5
7	No address given	2
	<b>TOTAL</b>	<b>126</b>

### Five-Year Comparison Expenses/Donations- 2012/2016

	2012	2013	2014	2015	2016
<b>DONATIONS</b>	2075.00	1345.00	2000.00	2699.00	3370.00
<b>EXPENSES</b>	1871.23	1473.17	2206.08	3459.75	5209.46
<b>DIFFERENCE</b>	+203.77	<b>-128.17</b>	<b>-206.08</b>	<b>-760.75</b>	<b>-1839.46</b>

### 5-year Comparison of Attendance- 2015 & 2016 reflect KIDS only

2012	60
2013	64
2014	107
2015	145
2016	133

## 2016 HOLIDAY PARTY DONATIONS

## Final

COMPANY NAME	ADDRESS/CONTACT	DONATION/IN-KIND/VALUE	DATE RECEIVED	R	N
1 <b>Del Rhea's Chicken Basket</b>	645 Joliet Rd. WB 60527 Pat Rhea- 325-0780	Food	9/24	X	
2 <b>LA Vida Massage</b>	6300 Kingery Hwy.	2 GC's	9/24	X	
3 <b>Hinsdale Nurseries</b>	7200 S. Madison	\$250.00 GC	9/25	X	
4 <b>Action Caulking &amp; Sealants</b>	625 Executive Dr.	\$50.00	9/22	X	
5 <b>Dr. Pam Johnson</b>	545 Plainfield Rd. Suite D	\$25.00	9/22	X	
6 <b>Willowbrook Ford</b>	7301 Kingery Highway	\$100.00	9/23	X	
7 <b>Oishi Sushi</b>	6300 Kingery Hwy, #208	\$50.00	9/23	X	
8 <b>ESPO Engineering</b>	855 Midway Dr.	\$100.00	9/23	X	
9 <b>Bella Cosa</b>	7163 Kingery Hwy.	\$500.00	9/26	X	
10 <b>The Kling Corp.</b>	800 W. 79 <sup>th</sup> St. Suite 4	\$100.00	9/26	X	
11 <b>Midwest Helicopter</b>	525 Executive Dr.	\$100.00	9/27	X	
12 <b>Midtronics</b>	7000 Monroe St.	\$500.00	10/3	X	
13 <b>ChiShack</b>	Anna- 630-581-5620	Food	10/5	X	
14 <b>Willowbrook Shoe Repair</b>	102 W. 63 <sup>rd</sup> St.	\$50.00	10/5	X	
15 <b>RARCOA Inc.</b>	7550 S. Quincy St	\$100.00	10/5	X	
16 <b>Quality Tire &amp; Auto</b>	7255 S. Kingery Hwy.	\$50.00	10/11	X	
17 <b>McClement Mgt. Group</b>	850 S. Boulder HWY. PMG 1020 Henderson NV. 89015	\$200.00	10/11	X	
18 <b>FAC Logistics</b>	7320 Madison Unit 800	\$100.00	10/11	X	
19 <b>7-11</b>	535 Joliet Rd 630-654-2018 Samatha	Food	10/13	X	
20 <b>Pirrello Digital Imagery</b>	7350 S. Madison	\$250.00	10/13	X	
21 <b>Liberty Asset Management</b>	6725 Kingery Hwy.	\$25.00	10/13	X	
22 <b>Begeman Jewelers</b>	30 63 <sup>rd</sup> St.	\$150.00	10/14		
23 <b>Tommy R's Catering</b>	825 W. 75 <sup>th</sup> St.	Food- value at \$774.00	10/18	X	
24 <b>Massage Luxe</b>	7181 Kingery Hwy.	5 \$15.00 GC's total value \$75.00	10/18	X	
25 <b>BNA Management LLC</b>	535 Plainfield Rd.	\$100.00	10/21	X	
26 <b>Raths, Raths &amp; Johnson</b>	500 Joliet Rd. Suite 200	\$100.00	10/24	X	
27 <b>J &amp; H Décor</b>	7183 Kingery Hwy.	\$50.00	10/24	X	
28 <b>Chick-fil-A</b>	Doug/Kayla	Drinks/drink ware	10/25		

## 2016 HOLIDAY PARTY DONATIONS

Final

29	<b>World Fuel/WB City</b>	6900 Kingery Hwy.	\$100.00	10/31	<b>X</b>
30	<b>Adolf Funeral Home</b>	7000 S. Madison St.	\$200.00	11/2	<b>X</b>
31	<b>West Superior Training</b>	7580 S. Quincy	Asst. Gift Certificates	11/3	<b>X</b>
32	<b>Pure Barre</b>	7187 S. Kingery Highway	10 class gift cert. \$190 value	11/7	<b>X</b>
33	<b>Walgreen's</b>	501 Plainfield Rd	Pictures	11/9	<b>X</b>
34	<b>Baston Chiropractic Clinic</b>	6837 S. Kingery Highway	\$100.00	11/9	<b>X</b>
35	<b>Center Cleaners</b>	7524 Clarendon Hills Road	\$70.00	11/9	<b>X</b>
36	<b>Target</b>	7601 Kingery Highway	\$50 gift card/used to purchase Paper goods.	11/22	<b>X</b>
37	<b>FCI Construction Inc.</b>	735-A N. Yale Ave. Villa Park, IL 60181	\$200.00	11/22	<b>X</b>
38	<b>COSTCO</b>	830 E. Boughton Rd. Bolingbrook, 60440-Torrence	\$25.00 Gift Card Water	11/29	<b>X</b>
39					
40					

Cash total to Date: \$3370.00 from 25 donors

2015 total: \$2699.00 from 16 donors

+/- **+671.00 over 2015**

## 2017 Holiday Party Donations/Expenses

Final 12/14/16

Donation/Expense	Amount	+/-
Entertainment- Jeanette Andrews	\$500.00	-500.00
Supplies- Santa Suit	\$249.95	-749.95
Entertainment- Kerri Stockton	\$200.00	-949.95
Donation	\$100.00	-899.95
Donation	\$25.00	-874.95
Donation	\$100.00	-774.95
Donation	\$50.00	-724.95
Donation	\$100.00	-624.95
Donation	\$500.00	-124.95
Donation	\$100.00	+24.95
Donation	\$100.00	+75.05
Donation	\$500.00	+575.05
Donation	\$50.00	+625.05
Donation	\$100.00	+725.05
Donation	\$50.00	+775.05
Donation	\$100.00	+875.05
Donation	\$200.00	+1075.05
Donation	\$250.00	+1325.05
Donation	\$25.00	+1350.05
Donation	\$150.00	+1500.05
4Imprint- blanket giveaway	\$1547.56	-47.51
Donation	\$100.00	+52.49
Donation	\$100.00	+152.49
Donation	\$50.00	+202.49
Printing of postcards	\$320.00	-117.51
Donation	\$100.00	+17.51
Gift Purchase #1	\$414.18	-431.69
Donation	\$200.00	-231.69
Postcard Mailing	\$1412.17	-1643.86
Oriental Trading – gift bags	\$116.91	-1760.77
Donation	\$100.00	-1660.77
Donation	\$70.00	-1590.77
Craft-George	\$64.74	-1655.51
Supplies-Candy canes	\$30.00	-1685.51
Donation	\$200.00	-1485.51
Willowbrook Post Ad	\$111.00	-1596.51
Gift Purchase #2	\$242.95	-1839.46
Hinsdale South Rental	Waived	

DONATIONS TO DATE: \$3370.00

EXPENSES TO DATE: \$5209.46

+/- -\$1839.46